

L&T Shelving & Drawer Price List

TABLE OF CONTENTS

PAGE 2: Policies & Services
PAGE 3: The L&T System - Component Reference Illustration

PRECONFIGURED UNITS

PAGE 4: Open Shelf Filing: 64" High 22 Gauge Shelves
PAGE 5: Open Shelf Filing: 64" High 18 Gauge Shelves
PAGE 6: Open Shelf Filing: 76" High 22 Gauge Shelves
PAGE 7: Open Shelf Filing: 76" High 18 Gauge Shelves
PAGE 8: Open Shelf Filing: 88" High 22 Gauge Shelves
PAGE 9: Open Shelf Filing: 88" High 18 Gauge Shelves
PAGE 10: Open Shelf Filing: 97" High 22 Gauge Shelves
PAGE 11: Open Shelf Filing: 97" High 18 Gauge Shelves
PAGE 12: Library Shelving: 76" High
PAGE 13: Library Shelving: 88" High
PAGE 14: Heavy Duty Shelving: 76" and 88" High, Open Style
PAGE 15: Heavy Duty Shelving: 76" and 88" High, Closed Style
PAGE 16: X-Ray Shelving: 85" High, Single and Double Style

COMPONENTS AND ACCESSORIES

PAGE 17: Open Uprights
PAGE 18: Closed Uprights
PAGE 19: Double-Wall (Library) Uprights
PAGE 20: Shelves — Thin Profile (18 & 22 gauge)
PAGE 21: Shelves — Thin Profile Slotted (18 & 22 gauge)
PAGE 22: Shelves — Library
PAGE 23: Shelves — Heavy, X-Ray, Particleboard
PAGE 24: Shelf Supports, Reinforcements, Hang Rods
PAGE 25: Backs, Reference Shelves, Periodical Shelves
PAGE 26: Door Kits, Retractable Doors, Dividers
PAGE 27: Back Stops, Center Stops, Nylon Feet
PAGE 28: Seismic Center Stop, Misc. Parts

HIGH DENSITY DRAWERS

PAGE 29: 36" Wide Drawers
PAGE 30: 42" Wide Drawers
PAGE 31: 48" Wide Drawers
PAGE 32: Dividers For Drawers - 8 & 6 Columns
PAGE 33: Dividers For Drawers - 5 & 4 Columns
PAGE 34: Dividers For Drawers, Accessories
PAGE 35: L&T Color Selections



Tennsco, LLC
P.O. Box 1888
Dickson, TN 37056-1888
Phone: 800-251-8184
Fax: 800-722-0134
Email: info@tennsco.com

January 2018



PROUDLY MADE IN THE U.S.A.

Contents for Group 71 Furniture Part 1

General Services Administration Federal Supply Service

Authorized Federal Supply Schedule Price List

(On-Line access to contract ordering information, terms and conditions, up-to-date pricing and the option to create an electronic delivery order are available through GSA Advantage, a menu driven database schedule. The internet address for GSA Advantage is <http://www.GSAAdvantage.gov>)

FSC Group 71, Part I
FSC Class 7110

Contract # GS-27F-017GA (For more information on ordering from Federal Supply Schedule click on the FSS button at <http://www.fss.gsa.gov>) Effective: March 26, 2018 through March 25, 2022

Contractor:

Tennsco Corp., P.O. Box 1888, Dickson, TN 37056-1888
Phone: 800.251.8184 Fax: 800.722.0134 **Email:** customerservice@tennsco.com
Web Address: www.tennsco.com

FED TAX ID #: 62-064-9819
DUNS NUMBER: 178605317
CAGE CODE: 09MA4

Special Item Numbers:

711-3 L&T Shelving
711-94 Design/Layout Services
711-95 Installation Services

	711-3	711-94	711-95
Maximum Order:	\$500,000.00	\$150,000.00	\$150,000.00
Minimum Order:	\$100.00	\$100.00	\$100.00

Geographic Coverage:

The geographic coverage for this contract is the 48 contiguous states and the District of Columbia

Point of Production: Dickson, Tennessee, USA

Discounts From List Prices:

L&T Shelving Systems

Order Size (List)	Discount from List
\$0 – \$10,000	57%
\$10,001 – 25,000	58%
\$25,001 & Up	59%

Industrial Products Group (Q-Line Shelving, Z-Line Shelving, Bulk Rack, Workbenches)

Order Size (List)	Discount from List
\$0 – \$10,000	52%
\$10,001 – 25,000	55%
\$25,001 & Up	60%

SIN 711-95 Installation Services

The following are rates for orders requiring installation under \$500

Non-Union Straight Time	\$42.50/hr
Non-Union Overtime	\$63.76/hr
Union Straight Time	\$65.00/hr
Union Overtime	\$97.00/hr

Note: Above prices are FOB Origin, Freight Prepaid and Added to invoice.

Prompt Payment Terms: Net 30 Days

Government Credit Cards Are Accepted Up To The Micro-purchase Threshold

ALL PRODUCTS ARE MADE IN THE USA

GSA Advantage:

Internet World Wide Web Home Page Address: <http://www.gsa.gov>

Time of Delivery:

45 Days A.R.O.

Expedited Delivery:

A shipment may be available for expedited delivery; please contact ordering address at time of order.

F.O.B. Point: Origin, Freight Prepaid and Add

Export Packing Charges: Prices do not include export packaging from port of embarkation to any location outside of the continental United States.

Ordering Address:

Tennsco Corp.
P.O. Box 1888
Dickson, TN 37056-1888

Payment Address:

Tennsco Corp.
P.O. Box 440307
Nashville, TN 37244-0307

Phone: 800.251.8184

Fax: 800.722.0134

DUNS NUMBER: 178605317

TENNSCO is registered in the SAM database.

Restocking Fee/Return Policy:

Notice of returns must be given in writing. A restocking fee charge will not exceed 20% of the next cost for items returned. The customer must also pay for the cost of freight.

Cancellation Policy:

No charge prior to production. After production has begun, only cost incurred that Tennsco can demonstrate will be billed to the customer if merchandise cannot be resold within (6) months.

Price Reduction:

(a) The Government may request from the Contractor, and the Contractor may provide to the Government, a temporary or permanent price reduction at any time during the contract period. (b) The Contractor may offer the Contracting Officer a voluntary price reduction at any time during the contract period.

Warranty:

Tennsco's Standard Commercial Warranty warrants goods purchased hereunder to be free of defects in materials and workmanship for a period of one (1) year from the date of shipment, hereunder. We offer no warranty on upholstery materials other than those guarantees implied by the material manufacturer. Tennsco's warranty shall not apply in the event goods are damaged as a result of misuse, abuse, neglect, accident, improper application, modification or repair by persons not authorized by Seller, where goods are damaged during shipment, or where the date stamps on the goods have been defaced, modified or removed. UNLESS CONSIDERED UNENFORCEABLE OR UNLAWFUL UNDER APPLICABLE LAW:


- ALL IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO WARRANTIES OR MERCHANT ABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY EXCLUDED.
- BUYERS REMEDY, IF ANY, FOR ANY DEFECTIVE GOODS SHALL BE LIMITED TO A REFUND BY SELLER OR REPLACEMENT OF THE GOODS AT SELLER'S OPTION AND SHALL IN NO EVENT INCLUDE DAMAGES OF ANY KIND, WHETHER INCIDENTAL, CONSEQUENTIAL OR OTHERWISE.

NO GOODS ACCEPTED FOR RETURN WITHOUT PRIOR APPROVAL. Seller shall have the right to inspect any goods claimed to be defective at Buyer's place of business or require Buyer to return the goods to Seller for inspection on Seller's premises. Transportation charges covering returned goods will be borne by Seller only if such goods are proven to be defective, are covered by this warranty and are returned within the warranty period stated above.



The L&T System

Tennsco L&T systems use a unique interlock design to combine strength and rigidity for extra functional flexibility and assembly ease. It literally snaps together in minutes for quick installation and reconfiguration whenever necessary.



L&T shelving offers a vast array of shelf accessories which can be easily added to any L&T unit. With so many options available, the illustration below may prove helpful in showing how many of the components and accessories work together.

L&T PRECONFIGURED UNITS

Open Shelf Filing, 64" High - 22 Gauge Shelves

7 SHELVES, 6 OPENINGS



STARTER UNITS - MOBILE READY
Includes: Uprights (Two Closed "L")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports (TS), with SHS supports at bottom level
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Optional back available on page 25



ADDER UNITS - MOBILE READY
Includes: Upright (One Open "T")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports (TS), with SHS supports at bottom level
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Optional back available on page 25

Height to top of bottom shelf: 1 1/2"; shelf placed 10 1/2" on center with 9 3/4" vertical filing space/opening.

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCT-7-3012M5	4	30	12	64 1/4	96	377.00
LCT-7-3015M5	4	30	15	64 1/4	107	405.00
LCT-7-3612M5	4	36	12	64 1/4	107	378.00
LCT-7-3615M5	4	36	15	64 1/4	118	405.00
LCT-7-4212M5	4	42	12	64 1/4	132	452.00
LCT-7-4215M5	4	42	15	64 1/4	144	480.00
LCT-7-4812M5	5	48	12	64 1/4	149	498.00
LCT-7-4815M5	5	48	15	64 1/4	162	526.00
Double Entry						
LCT-7-3024M5§	8	30	24	64 1/4	203	579.00
LCT-7-3030M5*	8	30	30	64 1/4	237	689.00
LCT-7-3624M5§	8	36	24	64 1/4	211	579.00
LCT-7-3630M5*	8	36	30	64 1/4	246	689.00
LCT-7-4224M5*	8	42	24	64 1/4	253	674.00
LCT-7-4230M5*	8	42	30	64 1/4	284	767.00
LCT-7-4824M5*	10	48	24	64 1/4	285	751.00
LCT-7-4830M5*	10	48	30	64 1/4	320	858.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOT-7-3012M5	4	30	12	64 1/4	84	324.00
TOT-7-3015M5	4	30	15	64 1/4	92	345.00
TOT-7-3612M5	4	36	12	64 1/4	95	325.00
TOT-7-3615M5	4	36	15	64 1/4	103	345.00
TOT-7-4212M5	4	42	12	64 1/4	120	391.00
TOT-7-4215M5	4	42	15	64 1/4	129	420.00
TOT-7-4812M5	5	48	12	64 1/4	137	436.00
TOT-7-4815M5	5	48	15	64 1/4	147	466.00
Double Entry						
TOT-7-3024M5§	8	30	24	64 1/4	180	513.00
TOT-7-3030M5*	8	30	30	64 1/4	210	584.00
TOT-7-3624M5§	8	36	24	64 1/4	188	513.00
TOT-7-3630M5*	8	36	30	64 1/4	219	584.00
TOT-7-4224M5*	8	42	24	64 1/4	230	608.00
TOT-7-4230M5*	8	42	30	64 1/4	257	668.00
TOT-7-4824M5*	10	48	24	64 1/4	262	685.00
TOT-7-4830M5*	10	48	30	64 1/4	293	759.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

6 SHELVES, 5 OPENINGS



STARTER UNITS
Includes: Uprights (Two Closed "L")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25



ADDER UNITS
Includes: Upright (One Open "T")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

Height to top of bottom shelf: 4 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCT-6-3012-5	4	30	12	64 1/4	86	338.00
LCT-6-3015-5	4	30	15	64 1/4	95	364.00
LCT-6-3612-5	4	36	12	64 1/4	95	338.00
LCT-6-3615-5	4	36	15	64 1/4	104	364.00
LCT-6-4212-5	4	42	12	64 1/4	116	402.00
LCT-6-4215-5	4	42	15	64 1/4	127	434.00
LCT-6-4812-5	5	48	12	64 1/4	131	441.00
LCT-6-4815-5	5	48	15	64 1/4	142	475.00
Double Entry						
LCT-6-3024-5§	8	30	24	64 1/4	146	516.00
LCT-6-3030-5*	8	30	30	64 1/4	167	613.00
LCT-6-3624-5§	8	36	24	64 1/4	159	516.00
LCT-6-3630-5*	8	36	30	64 1/4	183	613.00
LCT-6-4224-5*	8	42	24	64 1/4	191	604.00
LCT-6-4230-5*	8	42	30	64 1/4	211	688.00
LCT-6-4824-5*	10	48	24	64 1/4	214	670.00
LCT-6-4830-5*	10	48	30	64 1/4	236	766.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOT-6-3012-5	4	30	12	64 1/4	74	285.00
TOT-6-3015-5	4	30	15	64 1/4	80	304.00
TOT-6-3612-5	4	36	12	64 1/4	83	285.00
TOT-6-3615-5	4	36	15	64 1/4	89	304.00
TOT-6-4212-5	4	42	12	64 1/4	104	349.00
TOT-6-4215-5	4	42	15	64 1/4	112	374.00
TOT-6-4812-5	5	48	12	64 1/4	119	388.00
TOT-6-4815-5	5	48	15	64 1/4	127	415.00
Double Entry						
TOT-6-3024-5§	8	30	24	64 1/4	122	450.00
TOT-6-3030-5*	8	30	30	64 1/4	140	514.00
TOT-6-3624-5§	8	36	24	64 1/4	136	450.00
TOT-6-3630-5*	8	36	30	64 1/4	156	514.00
TOT-6-4224-5*	8	42	24	64 1/4	167	538.00
TOT-6-4230-5*	8	42	30	64 1/4	184	589.00
TOT-6-4824-5*	10	48	24	64 1/4	191	604.00
TOT-6-4830-5*	10	48	30	64 1/4	209	667.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number.
Example: LCT-6-3012-5 becomes LCT-6-3012M5. Pricing is identical; weight may vary slightly.

L&T PRECONFIGURED UNITS

Open Shelf Filing, 64" High - 18 Gauge Shelves



STARTER UNITS - MOBILE READY

- Includes:
- Uprights (Two Closed "L")
 - Slotted steel shelves (18 gauge)
 - Plain top shelf (22 gauge)
 - Shelf supports (TS), with SHS supports at bottom level
 - Reinforcements (where noted)
 - Backstops or centerstops
 - Adjustable dividers
 - Optional back available on page 25



ADDER UNITS - MOBILE READY

- Includes:
- Upright (One Open "T")
 - Slotted steel shelves (18 gauge)
 - Plain top shelf (22 gauge)
 - Shelf supports (TS), with SHS supports at bottom level
 - Reinforcements (where noted)
 - Backstops or centerstops
 - Adjustable dividers
 - Optional back available on page 25

7 SHELVES, 6 OPENINGS

Height to top of bottom shelf: 1 1/2"; shelf placed 10 1/2" on center with 9 3/4" vertical filing space/opening.

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCTQ7-3012M5	4	30	12	64 1/4	110	439.00
LCTQ7-3015M5	4	30	15	64 1/4	123	482.00
LCTQ7-3612M5	4	36	12	64 1/4	123	439.00
LCTQ7-3615M5	4	36	15	64 1/4	138	482.00
LCTQ7-4212M5	4	42	12	64 1/4	151	520.00
LCTQ7-4215M5	4	42	15	64 1/4	167	576.00
LCTQ7-4812M5	5	48	12	64 1/4	171	578.00
LCTQ7-4815M5	5	48	15	64 1/4	189	616.00
Double Entry						
LCTQ7-3024M5 §	8	30	24	64 1/4	203	675.00
LCTQ7-3030M5 *	8	30	30	64 1/4	237	803.00
LCTQ7-3624M5 §	8	36	24	64 1/4	211	675.00
LCTQ7-3630M5 *	8	36	30	64 1/4	246	803.00
LCTQ7-4224M5 *	8	42	24	64 1/4	253	782.00
LCTQ7-4230M5 *	8	42	30	64 1/4	284	905.00
LCTQ7-4824M5 *	10	48	24	64 1/4	285	877.00
LCTQ7-4830M5 *	10	48	30	64 1/4	320	1,008.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOTQ7-3012M5	4	30	12	64 1/4	98	386.00
TOTQ7-3015M5	4	30	15	64 1/4	108	422.00
TOTQ7-3612M5	4	36	12	64 1/4	111	386.00
TOTQ7-3615M5	4	36	15	64 1/4	123	422.00
TOTQ7-4212M5	4	42	12	64 1/4	139	467.00
TOTQ7-4215M5	4	42	15	64 1/4	152	516.00
TOTQ7-4812M5	5	48	12	64 1/4	159	525.00
TOTQ7-4815M5	5	48	15	64 1/4	174	556.00
Double Entry						
TOTQ7-3024M5 §	8	30	24	64 1/4	180	609.00
TOTQ7-3030M5 *	8	30	30	64 1/4	210	704.00
TOTQ7-3624M5 §	8	36	24	64 1/4	188	609.00
TOTQ7-3630M5 *	8	36	30	64 1/4	219	704.00
TOTQ7-4224M5 *	8	42	24	64 1/4	230	716.00
TOTQ7-4230M5 *	8	42	30	64 1/4	257	806.00
TOTQ7-4824M5 *	10	48	24	64 1/4	262	811.00
TOTQ7-4830M5 *	10	48	30	64 1/4	293	909.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.



STARTER UNITS

- Includes:
- Uprights (Two Closed "L")
 - Slotted steel shelves (18 gauge)
 - Plain top shelf (22 gauge)
 - Shelf supports
 - Reinforcements (where noted)
 - Backstops or centerstops
 - Adjustable dividers
 - Front base(s)
 - Optional back available on page 25



6 SHELVES, 5 OPENINGS

ADDER UNITS

- Includes:
- Upright (One Open "T")
 - Slotted steel shelves (18 gauge)
 - Plain top shelf (22 gauge)
 - Shelf supports
 - Reinforcements (where noted)
 - Backstops or centerstops
 - Adjustable dividers
 - Front base(s)
 - Optional back available on page 25

Height to top of bottom shelf: 4 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCTQ6-3012-5	4	30	12	64 1/4	97	389.00
LCTQ6-3015-5	4	30	15	64 1/4	109	428.00
LCTQ6-3612-5	4	36	12	64 1/4	108	389.00
LCTQ6-3615-5	4	36	15	64 1/4	121	428.00
LCTQ6-4212-5	4	42	12	64 1/4	132	465.00
LCTQ6-4215-5	4	42	15	64 1/4	147	514.00
LCTQ6-4812-5	5	48	12	64 1/4	149	515.00
LCTQ6-4815-5	5	48	15	64 1/4	164	550.00
Double Entry						
LCTQ6-3024-5 §	8	30	24	64 1/4	178	596.00
LCTQ6-3030-5 *	8	30	30	64 1/4	207	708.00
LCTQ6-3624-5 §	8	36	24	64 1/4	185	596.00
LCTQ6-3630-5 *	8	36	30	64 1/4	215	708.00
LCTQ6-4224-5 *	8	42	24	64 1/4	220	694.00
LCTQ6-4230-5 *	8	42	30	64 1/4	247	803.00
LCTQ6-4824-5 *	10	48	24	64 1/4	247	775.00
LCTQ6-4830-5 *	10	48	30	64 1/4	278	891.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOTQ6-3012-5	4	30	12	64 1/4	85	336.00
TOTQ6-3015-5	4	30	15	64 1/4	94	368.00
TOTQ6-3612-5	4	36	12	64 1/4	96	336.00
TOTQ6-3615-5	4	36	15	64 1/4	106	368.00
TOTQ6-4212-5	4	42	12	64 1/4	120	412.00
TOTQ6-4215-5	4	42	15	64 1/4	132	454.00
TOTQ6-4812-5	5	48	12	64 1/4	137	462.00
TOTQ6-4815-5	5	48	15	64 1/4	149	490.00
Double Entry						
TOTQ6-3024-5 §	8	30	24	64 1/4	154	530.00
TOTQ6-3030-5 *	8	30	30	64 1/4	180	609.00
TOTQ6-3624-5 §	8	36	24	64 1/4	162	530.00
TOTQ6-3630-5 *	8	36	30	64 1/4	188	609.00
TOTQ6-4224-5 *	8	42	24	64 1/4	197	628.00
TOTQ6-4230-5 *	8	42	30	64 1/4	220	704.00
TOTQ6-4824-5 *	10	48	24	64 1/4	224	709.00
TOTQ6-4830-5 *	10	48	30	64 1/4	251	792.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number. Example: LCTQ6-3012-5 becomes LCTQ6-3012M5. Pricing is identical; weight may vary slightly.

L&T PRECONFIGURED UNITS

Open Shelf Filing, 76" High - 22 Gauge Shelves

8 SHELVES, 7 OPENINGS



STARTER UNITS

- Includes: Uprights (Two Closed "L")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25
Height to top of bottom shelf: 3"; shelf placed 10 1/2" on center with 9 3/4" vertical filing space/opening.



ADDER UNITS

- Includes: Upright (One Open "T")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCT-8-3012-6	4	30	12	76 1/4	110	418.00
LCT-8-3015-6	4	30	15	76 1/4	120	449.00
LCT-8-3612-6	4	36	12	76 1/4	122	418.00
LCT-8-3615-6	4	36	15	76 1/4	132	449.00
LCT-8-4212-6	4	42	12	76 1/4	151	503.00
LCT-8-4215-6	4	42	15	76 1/4	162	542.00
LCT-8-4812-6	5	48	12	76 1/4	170	555.00
LCT-8-4815-6	5	48	15	76 1/4	183	597.00
Double Entry						
LCT-8-3024-6§	8	30	24	76 1/4	187	678.00
LCT-8-3030-6*	8	30	30	76 1/4	217	784.00
LCT-8-3624-6§	8	36	24	76 1/4	205	678.00
LCT-8-3630-6*	8	36	30	76 1/4	239	784.00
LCT-8-4224-6*	8	42	24	76 1/4	247	796.00
LCT-8-4230-6*	8	42	30	76 1/4	275	883.00
LCT-8-4824-6*	10	48	24	76 1/4	278	885.00
LCT-8-4830-6*	10	48	30	76 1/4	310	989.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOT-8-3012-6	4	30	12	76 1/4	97	367.00
TOT-8-3015-6	4	30	15	76 1/4	104	387.00
TOT-8-3612-6	4	36	12	76 1/4	109	367.00
TOT-8-3615-6	4	36	15	76 1/4	116	387.00
TOT-8-4212-6	4	42	12	76 1/4	138	452.00
TOT-8-4215-6	4	42	15	76 1/4	146	480.00
TOT-8-4812-6	5	48	12	76 1/4	157	504.00
TOT-8-4815-6	5	48	15	76 1/4	167	535.00
Double Entry						
TOT-8-3024-6§	8	30	24	76 1/4	161	585.00
TOT-8-3030-6*	8	30	30	76 1/4	186	678.00
TOT-8-3624-6§	8	36	24	76 1/4	179	585.00
TOT-8-3630-6*	8	36	30	76 1/4	208	678.00
TOT-8-4224-6*	8	42	24	76 1/4	221	703.00
TOT-8-4230-6*	8	42	30	76 1/4	245	777.00
TOT-8-4824-6*	10	48	24	76 1/4	252	792.00
TOT-8-4830-6*	10	48	30	76 1/4	279	883.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

7 SHELVES, 6 OPENINGS



STARTER UNITS

- Includes: Uprights (Two Closed "L")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25
Height to top of bottom shelf: 4 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.



ADDER UNITS

- Includes: Upright (One Open "T")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCT-7-3012-6	4	30	12	76 1/4	100	380.00
LCT-7-3015-6	4	30	15	76 1/4	109	408.00
LCT-7-3612-6	4	36	12	76 1/4	111	380.00
LCT-7-3615-6	4	36	15	76 1/4	120	408.00
LCT-7-4212-6	4	42	12	76 1/4	136	454.00
LCT-7-4215-6	4	42	15	76 1/4	146	490.00
LCT-7-4812-6	5	48	12	76 1/4	152	500.00
LCT-7-4815-6	5	48	15	76 1/4	164	538.00
Double Entry						
LCT-7-3024-6§	8	30	24	76 1/4	169	614.00
LCT-7-3030-6*	8	30	30	76 1/4	195	708.00
LCT-7-3624-6§	8	36	24	76 1/4	185	614.00
LCT-7-3630-6*	8	36	30	76 1/4	215	708.00
LCT-7-4224-6*	8	42	24	76 1/4	221	717.00
LCT-7-4230-6*	8	42	30	76 1/4	247	796.00
LCT-7-4824-6*	10	48	24	76 1/4	249	795.00
LCT-7-4830-6*	10	48	30	76 1/4	277	888.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOT-7-3012-6	4	30	12	76 1/4	86	329.00
TOT-7-3015-6	4	30	15	76 1/4	92	346.00
TOT-7-3612-6	4	36	12	76 1/4	97	329.00
TOT-7-3615-6	4	36	15	76 1/4	103	346.00
TOT-7-4212-6	4	42	12	76 1/4	122	403.00
TOT-7-4215-6	4	42	15	76 1/4	130	428.00
TOT-7-4812-6	5	48	12	76 1/4	139	449.00
TOT-7-4815-6	5	48	15	76 1/4	148	476.00
Double Entry						
TOT-7-3024-6§	8	30	24	76 1/4	143	521.00
TOT-7-3030-6*	8	30	30	76 1/4	165	602.00
TOT-7-3624-6§	8	36	24	76 1/4	159	521.00
TOT-7-3630-6*	8	36	30	76 1/4	184	602.00
TOT-7-4224-6*	8	42	24	76 1/4	195	624.00
TOT-7-4230-6*	8	42	30	76 1/4	216	690.00
TOT-7-4824-6*	10	48	24	76 1/4	223	702.00
TOT-7-4830-6*	10	48	30	76 1/4	246	782.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number.
Example: LCT-7-3012-6 becomes LCT-7-3012M6. Pricing is identical; weight may vary slightly.

L&T PRECONFIGURED UNITS

Open Shelf Filing, 76" High - 18 Gauge Shelves



STARTER UNITS

- Includes: Uprights (Two Closed "L")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25
Height to top of bottom shelf: 3"; shelf placed 10 1/2" on center with 9 3/4" vertical filing space/opening.



8 SHELVES, 7 OPENINGS

ADDER UNITS

- Includes: Upright (One Open "T")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCTQ8-3012-6	4	30	12	76 1/4	126	490.00
LCTQ8-3015-6	4	30	15	76 1/4	140	538.00
LCTQ8-3612-6	4	36	12	76 1/4	141	490.00
LCTQ8-3615-6	4	36	15	76 1/4	156	538.00
LCTQ8-4212-6	4	42	12	76 1/4	173	592.00
LCTQ8-4215-6	4	42	15	76 1/4	190	654.00
LCTQ8-4812-6	5	48	12	76 1/4	195	659.00
LCTQ8-4815-6	5	48	15	76 1/4	214	702.00
Double Entry						
LCTQ8-3024-6§	8	30	24	76 1/4	232	790.00
LCTQ8-3030-6*	8	30	30	76 1/4	274	917.00
LCTQ8-3624-6§	8	36	24	76 1/4	241	790.00
LCTQ8-3630-6*	8	36	30	76 1/4	283	917.00
LCTQ8-4224-6*	8	42	24	76 1/4	288	922.00
LCTQ8-4230-6*	8	42	30	76 1/4	326	1,044.00
LCTQ8-4824-6*	10	48	24	76 1/4	325	1,032.00
LCTQ8-4830-6*	10	48	30	76 1/4	368	1,164.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOTQ8-3012-6	4	30	12	76 1/4	113	439.00
TOTQ8-3015-6	4	30	15	76 1/4	123	476.00
TOTQ8-3612-6	4	36	12	76 1/4	128	439.00
TOTQ8-3615-6	4	36	15	76 1/4	140	476.00
TOTQ8-4212-6	4	42	12	76 1/4	159	541.00
TOTQ8-4215-6	4	42	15	76 1/4	173	592.00
TOTQ8-4812-6	5	48	12	76 1/4	182	608.00
TOTQ8-4815-6	5	48	15	76 1/4	198	640.00
Double Entry						
TOTQ8-3024-6§	8	30	24	76 1/4	206	697.00
TOTQ8-3030-6*	8	30	30	76 1/4	243	811.00
TOTQ8-3624-6§	8	36	24	76 1/4	215	697.00
TOTQ8-3630-6*	8	36	30	76 1/4	252	811.00
TOTQ8-4224-6*	8	42	24	76 1/4	262	829.00
TOTQ8-4230-6*	8	42	30	76 1/4	296	938.00
TOTQ8-4824-6*	10	48	24	76 1/4	299	939.00
TOTQ8-4830-6*	10	48	30	76 1/4	337	1,058.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.



STARTER UNITS

- Includes: Uprights (Two Closed "L")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25
Height to top of bottom shelf: 4 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.

7 SHELVES, 6 OPENINGS

ADDER UNITS

- Includes: Upright (One Open "T")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCTQ7-3012-6	4	30	12	76 1/4	114	441.00
LCTQ7-3015-6	4	30	15	76 1/4	125	485.00
LCTQ7-3612-6	4	36	12	76 1/4	127	441.00
LCTQ7-3615-6	4	36	15	76 1/4	140	485.00
LCTQ7-4212-6	4	42	12	76 1/4	154	531.00
LCTQ7-4215-6	4	42	15	76 1/4	169	586.00
LCTQ7-4812-6	5	48	12	76 1/4	174	589.00
LCTQ7-4815-6	5	48	15	76 1/4	191	628.00
Double Entry						
LCTQ7-3024-6§	8	30	24	76 1/4	207	710.00
LCTQ7-3030-6*	8	30	30	76 1/4	244	822.00
LCTQ7-3624-6§	8	36	24	76 1/4	215	710.00
LCTQ7-3630-6*	8	36	30	76 1/4	253	822.00
LCTQ7-4224-6*	8	42	24	76 1/4	257	825.00
LCTQ7-4230-6*	8	42	30	76 1/4	291	934.00
LCTQ7-4824-6*	10	48	24	76 1/4	289	921.00
LCTQ7-4830-6*	10	48	30	76 1/4	327	1,038.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOTQ7-3012-6	4	30	12	76 1/4	100	390.00
TOTQ7-3015-6	4	30	15	76 1/4	109	423.00
TOTQ7-3612-6	4	36	12	76 1/4	113	390.00
TOTQ7-3615-6	4	36	15	76 1/4	124	423.00
TOTQ7-4212-6	4	42	12	76 1/4	141	480.00
TOTQ7-4215-6	4	42	15	76 1/4	153	524.00
TOTQ7-4812-6	5	48	12	76 1/4	161	538.00
TOTQ7-4815-6	5	48	15	76 1/4	174	566.00
Double Entry						
TOTQ7-3024-6§	8	30	24	76 1/4	181	617.00
TOTQ7-3030-6*	8	30	30	76 1/4	213	716.00
TOTQ7-3624-6§	8	36	24	76 1/4	189	617.00
TOTQ7-3630-6*	8	36	30	76 1/4	222	716.00
TOTQ7-4224-6*	8	42	24	76 1/4	231	732.00
TOTQ7-4230-6*	8	42	30	76 1/4	260	828.00
TOTQ7-4824-6*	10	48	24	76 1/4	263	828.00
TOTQ7-4830-6*	10	48	30	76 1/4	296	932.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number. Example: LCTQ7-3012-6 becomes LCTQ7-3012M6. Pricing is identical; weight may vary slightly.

L&T PRECONFIGURED UNITS

Open Shelf Filing, 88" High - 22 Gauge Shelves

9 SHELVES, 8 OPENINGS



STARTER UNITS

- Includes: Uprights (Two Closed "L")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

Height to top of bottom shelf: 4 1/2"; shelf placed 10 1/2" on center with 9 3/4" vertical filing space/opening.



ADDER UNITS

- Includes: Upright (One Open "T")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCT-9-3012-7	4	30	12	88 1/4	126	478.00
LCT-9-3015-7	4	30	15	88 1/4	136	517.00
LCT-9-3612-7	4	36	12	88 1/4	140	478.00
LCT-9-3615-7	4	36	15	88 1/4	150	517.00
LCT-9-4212-7	4	42	12	88 1/4	172	573.00
LCT-9-4215-7	4	42	15	88 1/4	184	623.00
LCT-9-4812-7	5	48	12	88 1/4	194	633.00
LCT-9-4815-7	5	48	15	88 1/4	208	684.00
Double Entry						
LCT-9-3024-7§	8	30	24	88 1/4	213	774.00
LCT-9-3030-7*	8	30	30	88 1/4	245	897.00
LCT-9-3624-7§	8	36	24	88 1/4	233	774.00
LCT-9-3630-7*	8	36	30	88 1/4	270	884.00
LCT-9-4224-7*	8	42	24	88 1/4	281	907.00
LCT-9-4230-7*	8	42	30	88 1/4	311	1,009.00
LCT-9-4824-7*	10	48	24	88 1/4	316	1,009.00
LCT-9-4830-7*	10	48	30	88 1/4	350	1,129.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOT-9-3012-7	4	30	12	88 1/4	109	414.00
TOT-9-3015-7	4	30	15	88 1/4	118	441.00
TOT-9-3612-7	4	36	12	88 1/4	123	414.00
TOT-9-3615-7	4	36	15	88 1/4	132	441.00
TOT-9-4212-7	4	42	12	88 1/4	155	509.00
TOT-9-4215-7	4	42	15	88 1/4	166	547.00
TOT-9-4812-7	5	48	12	88 1/4	177	569.00
TOT-9-4815-7	5	48	15	88 1/4	190	608.00
Double Entry						
TOT-9-3024-7§	8	30	24	88 1/4	183	668.00
TOT-9-3030-7*	8	30	30	88 1/4	212	770.00
TOT-9-3624-7§	8	36	24	88 1/4	203	668.00
TOT-9-3630-7*	8	36	30	88 1/4	237	770.00
TOT-9-4224-7*	8	42	24	88 1/4	251	801.00
TOT-9-4230-7*	8	42	30	88 1/4	278	882.00
TOT-9-4824-7*	10	48	24	88 1/4	286	903.00
TOT-9-4830-7*	10	48	30	88 1/4	317	1,002.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

8 SHELVES, 7 OPENINGS



STARTER UNITS

- Includes: Uprights (Two Closed "L")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

Height to top of bottom shelf: 4 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.



ADDER UNITS

- Includes: Upright (One Open "T")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCT-8-3012-7	4	30	12	88 1/4	115	438.00
LCT-8-3015-7	4	30	15	88 1/4	124	475.00
LCT-8-3612-7	4	36	12	88 1/4	128	438.00
LCT-8-3615-7	4	36	15	88 1/4	137	475.00
LCT-8-4212-7	4	42	12	88 1/4	156	523.00
LCT-8-4215-7	4	42	15	88 1/4	167	568.00
LCT-8-4812-7	5	48	12	88 1/4	175	576.00
LCT-8-4815-7	5	48	15	88 1/4	188	623.00
Double Entry						
LCT-8-3024-7§	8	30	24	88 1/4	194	706.00
LCT-8-3030-7*	8	30	30	88 1/4	223	818.00
LCT-8-3624-7§	8	36	24	88 1/4	212	706.00
LCT-8-3630-7*	8	36	30	88 1/4	245	818.00
LCT-8-4224-7*	8	42	24	88 1/4	254	824.00
LCT-8-4230-7*	8	42	30	88 1/4	282	918.00
LCT-8-4824-7*	10	48	24	88 1/4	285	914.00
LCT-8-4830-7*	10	48	30	88 1/4	316	1,023.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOT-8-3012-7	4	30	12	88 1/4	98	374.00
TOT-8-3015-7	4	30	15	88 1/4	106	399.00
TOT-8-3612-7	4	36	12	88 1/4	111	374.00
TOT-8-3615-7	4	36	15	88 1/4	119	399.00
TOT-8-4212-7	4	42	12	88 1/4	139	459.00
TOT-8-4215-7	4	42	15	88 1/4	149	492.00
TOT-8-4812-7	5	48	12	88 1/4	158	512.00
TOT-8-4815-7	5	48	15	88 1/4	170	547.00
Double Entry						
TOT-8-3024-7§	8	30	24	88 1/4	164	600.00
TOT-8-3030-7*	8	30	30	88 1/4	190	691.00
TOT-8-3624-7§	8	36	24	88 1/4	182	600.00
TOT-8-3630-7*	8	36	30	88 1/4	212	691.00
TOT-8-4224-7*	8	42	24	88 1/4	224	718.00
TOT-8-4230-7*	8	42	30	88 1/4	249	791.00
TOT-8-4824-7*	10	48	24	88 1/4	255	808.00
TOT-8-4830-7*	10	48	30	88 1/4	283	896.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number.
Example: LCT-8-3012-7 becomes LCT-8-3012M7. Pricing is identical; weight may vary slightly.

L&T PRECONFIGURED UNITS

Open Shelf Filing, 88" High - 18 Gauge Shelves



STARTER UNITS
Includes: Uprights (Two Closed "L")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

Height to top of bottom shelf: 3"; shelf placed 10 1/2" on center with 9 3/4" vertical filing space/opening.



ADDER UNITS
Includes: Upright (One Open "T")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

9 SHELVES, 8 OPENINGS

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCTQ9-3012-7	4	30	12	88 1/4	144	560.00
LCTQ9-3015-7	4	30	15	88 1/4	158	619.00
LCTQ9-3612-7	4	36	12	88 1/4	161	560.00
LCTQ9-3615-7	4	36	15	88 1/4	177	619.00
LCTQ9-4212-7	4	42	12	88 1/4	197	675.00
LCTQ9-4215-7	4	42	15	88 1/4	215	751.00
LCTQ9-4812-7	5	48	12	88 1/4	223	752.00
LCTQ9-4815-7	5	48	15	88 1/4	243	804.00
Double Entry						
LCTQ9-3024-7§	8	30	24	88 1/4	264	902.00
LCTQ9-3030-7*	8	30	30	88 1/4	310	1,049.00
LCTQ9-3624-7§	8	36	24	88 1/4	274	902.00
LCTQ9-3630-7*	8	36	30	88 1/4	321	1,049.00
LCTQ9-4224-7*	8	42	24	88 1/4	328	1,051.00
LCTQ9-4230-7*	8	42	30	88 1/4	370	1,193.00
LCTQ9-4824-7*	10	48	24	88 1/4	370	1,177.00
LCTQ9-4830-7*	10	48	30	88 1/4	417	1,329.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOTQ9-3012-7	4	30	12	88 1/4	127	496.00
TOTQ9-3015-7	4	30	15	88 1/4	140	543.00
TOTQ9-3612-7	4	36	12	88 1/4	144	496.00
TOTQ9-3615-7	4	36	15	88 1/4	159	543.00
TOTQ9-4212-7	4	42	12	88 1/4	180	611.00
TOTQ9-4215-7	4	42	15	88 1/4	197	675.00
TOTQ9-4812-7	5	48	12	88 1/4	206	688.00
TOTQ9-4815-7	5	48	15	88 1/4	225	728.00
Double Entry						
TOTQ9-3024-7§	8	30	24	88 1/4	234	796.00
TOTQ9-3030-7*	8	30	30	88 1/4	277	922.00
TOTQ9-3624-7§	8	36	24	88 1/4	244	796.00
TOTQ9-3630-7*	8	36	30	88 1/4	288	922.00
TOTQ9-4224-7*	8	42	24	88 1/4	298	945.00
TOTQ9-4230-7*	8	42	30	88 1/4	337	1,066.00
TOTQ9-4824-7*	10	48	24	88 1/4	340	1,071.00
TOTQ9-4830-7*	10	48	30	88 1/4	384	1,202.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.



STARTER UNITS
Includes: Uprights (Two Closed "L")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

Height to top of bottom shelf: 4 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.



ADDER UNITS
Includes: Upright (One Open "T")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

8 SHELVES, 7 OPENINGS

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCTQ8-3012-7	4	30	12	88 1/4	131	510.00
LCTQ8-3015-7	4	30	15	88 1/4	144	564.00
LCTQ8-3612-7	4	36	12	88 1/4	146	510.00
LCTQ8-3615-7	4	36	15	88 1/4	161	564.00
LCTQ8-4212-7	4	42	12	88 1/4	178	612.00
LCTQ8-4215-7	4	42	15	88 1/4	194	680.00
LCTQ8-4812-7	5	48	12	88 1/4	201	679.00
LCTQ8-4815-7	5	48	15	88 1/4	219	728.00
Double Entry						
LCTQ8-3024-7§	8	30	24	88 1/4	239	818.00
LCTQ8-3030-7*	8	30	30	88 1/4	280	951.00
LCTQ8-3624-7§	8	36	24	88 1/4	248	818.00
LCTQ8-3630-7*	8	36	30	88 1/4	289	951.00
LCTQ8-4224-7*	8	42	24	88 1/4	295	950.00
LCTQ8-4230-7*	8	42	30	88 1/4	333	1,079.00
LCTQ8-4824-7*	10	48	24	88 1/4	332	1,061.00
LCTQ8-4830-7*	10	48	30	88 1/4	375	1,198.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOTQ8-3012-7	4	30	12	88 1/4	114	446.00
TOTQ8-3015-7	4	30	15	88 1/4	126	488.00
TOTQ8-3612-7	4	36	12	88 1/4	129	446.00
TOTQ8-3615-7	4	36	15	88 1/4	143	488.00
TOTQ8-4212-7	4	42	12	88 1/4	161	548.00
TOTQ8-4215-7	4	42	15	88 1/4	176	604.00
TOTQ8-4812-7	5	48	12	88 1/4	184	615.00
TOTQ8-4815-7	5	48	15	88 1/4	201	652.00
Double Entry						
TOTQ8-3024-7§	8	30	24	88 1/4	209	712.00
TOTQ8-3030-7*	8	30	30	88 1/4	247	824.00
TOTQ8-3624-7§	8	36	24	88 1/4	218	712.00
TOTQ8-3630-7*	8	36	30	88 1/4	256	824.00
TOTQ8-4224-7*	8	42	24	88 1/4	265	844.00
TOTQ8-4230-7*	8	42	30	88 1/4	300	952.00
TOTQ8-4824-7*	10	48	24	88 1/4	302	955.00
TOTQ8-4830-7*	10	48	30	88 1/4	342	1,071.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number. Example: LCTQ8-3012-7 becomes LCTQ8-3012M7. Pricing is identical; weight may vary slightly.

L&T PRECONFIGURED UNITS

Open Shelf Filing, 97" High - 22 Gauge Shelves

10 SHELVES, 9 OPENINGS



STARTER UNITS

- Includes: Uprights (Two Closed "L")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25
Height to top of bottom shelf: 3"; shelf placed 10 1/2" on center with 9 3/4" vertical filing space/opening.



ADDER UNITS

- Includes: Upright (One Open "T")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCT-10-3012-8	4	30	12	97 1/4	140	532.00
LCT-10-3015-8	4	30	15	97 1/4	155	590.00
LCT-10-3612-8	4	36	12	97 1/4	156	532.00
LCT-10-3615-8	4	36	15	97 1/4	171	590.00
LCT-10-4212-8	4	42	12	97 1/4	191	638.00
LCT-10-4215-8	4	42	15	97 1/4	208	707.00
LCT-10-4812-8	5	48	12	97 1/4	216	704.00
LCT-10-4815-8	5	48	15	97 1/4	235	775.00
Double Entry						
LCT-10-3024-8§	8	30	24	97 1/4	237	866.00
LCT-10-3030-8*	8	30	30	97 1/4	275	1,011.00
LCT-10-3624-8§	8	36	24	97 1/4	259	866.00
LCT-10-3630-8*	8	36	30	97 1/4	302	1,011.00
LCT-10-4224-8*	8	42	24	97 1/4	312	1,014.00
LCT-10-4230-8*	8	42	30	97 1/4	348	1,135.00
LCT-10-4824-8*	10	48	24	97 1/4	352	1,127.00
LCT-10-4830-8*	10	48	30	97 1/4	391	1,268.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOT-10-3012-8	4	30	12	97 1/4	122	459.00
TOT-10-3015-8	4	30	15	97 1/4	132	492.00
TOT-10-3612-8	4	36	12	97 1/4	138	459.00
TOT-10-3615-8	4	36	15	97 1/4	148	492.00
TOT-10-4212-8	4	42	12	97 1/4	173	565.00
TOT-10-4215-8	4	42	15	97 1/4	185	609.00
TOT-10-4812-8	5	48	12	97 1/4	198	631.00
TOT-10-4815-8	5	48	15	97 1/4	212	677.00
Double Entry						
TOT-10-3024-8§	8	30	24	97 1/4	204	741.00
TOT-10-3030-8*	8	30	30	97 1/4	235	858.00
TOT-10-3624-8§	8	36	24	97 1/4	226	741.00
TOT-10-3630-8*	8	36	30	97 1/4	262	858.00
TOT-10-4224-8*	8	42	24	97 1/4	279	889.00
TOT-10-4230-8*	8	42	30	97 1/4	308	982.00
TOT-10-4824-8*	10	48	24	97 1/4	319	1,002.00
TOT-10-4830-8*	10	48	30	97 1/4	351	1,115.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

9 SHELVES, 8 OPENINGS



STARTER UNITS - MOBILE READY

- Includes: Uprights (Two Closed "L")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports (TS), w/SHS supports at bottom
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Optional back available on page 25
Height to top of bottom shelf: 1 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.



ADDER UNITS - MOBILE READY

- Includes: Upright (One Open "T")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports (TS), w/SHS supports at bottom
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCT-9-3012M8	4	30	12	97 1/4	130	493.00
LCT-9-3015M8	4	30	15	97 1/4	144	530.00
LCT-9-3612M8	4	36	12	97 1/4	143	493.00
LCT-9-3615M8	4	36	15	97 1/4	157	548.00
LCT-9-4212M8	4	42	12	97 1/4	173	581.00
LCT-9-4215M8	4	42	15	97 1/4	189	646.00
LCT-9-4812M8	5	48	12	97 1/4	195	640.00
LCT-9-4815M8	5	48	15	97 1/4	212	716.00
Double Entry						
LCT-9-3024M8§	8	30	24	97 1/4	219	785.00
LCT-9-3030M8*	8	30	30	97 1/4	254	897.00
LCT-9-3624M8§	8	36	24	97 1/4	237	790.00
LCT-9-3630M8*	8	36	30	97 1/4	277	897.00
LCT-9-4224M8*	8	42	24	97 1/4	283	935.00
LCT-9-4230M8*	8	42	30	97 1/4	316	1,012.00
LCT-9-4824M8*	10	48	24	97 1/4	318	1,025.00
LCT-9-4830M8*	10	48	30	97 1/4	354	1,230.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOT-9-3012M8	4	30	12	97 1/4	112	421.00
TOT-9-3015M8	4	30	15	97 1/4	121	451.00
TOT-9-3612M8	4	36	12	97 1/4	126	421.00
TOT-9-3615M8	4	36	15	97 1/4	135	451.00
TOT-9-4212M8	4	42	12	97 1/4	158	516.00
TOT-9-4215M8	4	42	15	97 1/4	169	548.00
TOT-9-4812M8	5	48	12	97 1/4	180	576.00
TOT-9-4815M8	5	48	15	97 1/4	193	618.00
Double Entry						
TOT-9-3024M8§	8	30	24	97 1/4	180	642.00
TOT-9-3030M8*	8	30	30	97 1/4	208	735.00
TOT-9-3624M8§	8	36	24	97 1/4	199	665.00
TOT-9-3630M8*	8	36	30	97 1/4	231	735.00
TOT-9-4224M8*	8	42	24	97 1/4	246	810.00
TOT-9-4230M8*	8	42	30	97 1/4	271	856.00
TOT-9-4824M8*	10	48	24	97 1/4	280	884.00
TOT-9-4830M8*	10	48	30	97 1/4	309	1,014.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number.
Example: LCT-10-3012-8 becomes LCT-10-3012M8. Pricing is identical; weight may vary slightly.

L&T PRECONFIGURED UNITS

Open Shelf Filing, 97" High - 18 Gauge Shelves



STARTER UNITS

- Includes: Uprights (Two Closed "L")
 Slotted steel shelves (18 gauge)
 Plain top shelf (22 gauge)
 Shelf supports
 Reinforcements (where noted)
 Backstops or centerstops
 Adjustable dividers
 Front base(s)
 Optional back available on page 25
 Height to top of bottom shelf: 3"; shelf placed 10 1/2" on center with 9 3/4" vertical filing space/opening.



10 SHELVES, 9 OPENINGS

ADDER UNITS

- Includes: Upright (One Open "T")
 Slotted steel shelves (18 gauge)
 Plain top shelf (22 gauge)
 Shelf supports
 Reinforcements (where noted)
 Backstops or centerstops
 Adjustable dividers
 Front base
 Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCTQ10-3012-8	4	30	12	97 1/4	161	624.00
LCTQ10-3015-8	4	30	15	97 1/4	181	705.00
LCTQ10-3612-8	4	36	12	97 1/4	180	624.00
LCTQ10-3615-8	4	36	15	97 1/4	201	705.00
LCTQ10-4212-8	4	42	12	97 1/4	219	752.00
LCTQ10-4215-8	4	42	15	97 1/4	243	851.00
LCTQ10-4812-8	5	48	12	97 1/4	248	837.00
LCTQ10-4815-8	5	48	15	97 1/4	274	910.00
Double Entry						
LCTQ10-3024-8§	8	30	24	97 1/4	295	1,010.00
LCTQ10-3030-8*	8	30	30	97 1/4	348	1,182.00
LCTQ10-3624-8§	8	36	24	97 1/4	305	1,010.00
LCTQ10-3630-8*	8	36	30	97 1/4	359	1,182.00
LCTQ10-4224-8*	8	42	24	97 1/4	365	1,176.00
LCTQ10-4230-8*	8	42	30	97 1/4	413	1,342.00
LCTQ10-4824-8*	10	48	24	97 1/4	412	1,316.00
LCTQ10-4830-8*	10	48	30	97 1/4	466	1,493.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOTQ10-3012-8	4	30	12	97 1/4	143	551.00
TOTQ10-3015-8	4	30	15	97 1/4	158	607.00
TOTQ10-3612-8	4	36	12	97 1/4	162	551.00
TOTQ10-3615-8	4	36	15	97 1/4	178	607.00
TOTQ10-4212-8	4	42	12	97 1/4	201	679.00
TOTQ10-4215-8	4	42	15	97 1/4	220	753.00
TOTQ10-4812-8	5	48	12	97 1/4	230	764.00
TOTQ10-4815-8	5	48	15	97 1/4	251	812.00
Double Entry						
TOTQ10-3024-8§	8	30	24	97 1/4	262	885.00
TOTQ10-3030-8*	8	30	30	97 1/4	308	1,029.00
TOTQ10-3624-8§	8	36	24	97 1/4	272	885.00
TOTQ10-3630-8*	8	36	30	97 1/4	319	1,029.00
TOTQ10-4224-8*	8	42	24	97 1/4	332	1,051.00
TOTQ10-4230-8*	8	42	30	97 1/4	373	1,189.00
TOTQ10-4824-8*	10	48	24	97 1/4	379	1,191.00
TOTQ10-4830-8*	10	48	30	97 1/4	426	1,340.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

9 SHELVES, 8 OPENINGS



STARTER UNITS - MOBILE READY

- Includes: Uprights (Two Closed "L")
 Slotted steel shelves (18 gauge)
 Plain top shelf (22 gauge)
 Shelf supports (TS), w/SHS supports at bottom
 Reinforcements (where noted)
 Backstops or centerstops
 Adjustable dividers
 Optional back available on page 25
 Height to top of bottom shelf: 1 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.



ADDER UNITS - MOBILE READY

- Includes: Upright (One Open "T")
 Slotted steel shelves (18 gauge)
 Plain top shelf (22 gauge)
 Shelf supports (TS), w/SHS supports at bottom
 Reinforcements (where noted)
 Backstops or centerstops
 Adjustable dividers
 Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCTQ9-3012M8	4	30	12	97 1/4	149	584.00
LCTQ9-3015M8	4	30	15	97 1/4	167	643.00
LCTQ9-3612M8	4	36	12	97 1/4	165	584.00
LCTQ9-3615M8	4	36	15	97 1/4	184	643.00
LCTQ9-4212M8	4	42	12	97 1/4	198	687.00
LCTQ9-4215M8	4	42	15	97 1/4	220	762.00
LCTQ9-4812M8	5	48	12	97 1/4	223	774.00
LCTQ9-4815M8	5	48	15	97 1/4	248	829.00
Double Entry						
LCTQ9-3024M8§	8	30	24	97 1/4	270	937.00
LCTQ9-3030M8*	8	30	30	97 1/4	318	1,083.00
LCTQ9-3624M8§	8	36	24	97 1/4	278	937.00
LCTQ9-3630M8*	8	36	30	97 1/4	327	1,113.00
LCTQ9-4224M8*	8	42	24	97 1/4	330	1,111.00
LCTQ9-4230M8*	8	42	30	97 1/4	374	1,260.00
LCTQ9-4824M8*	10	48	24	97 1/4	372	1,217.00
LCTQ9-4830M8*	10	48	30	97 1/4	421	1,397.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOTQ9-3012M8	4	30	12	97 1/4	131	511.00
TOTQ9-3015M8	4	30	15	97 1/4	144	555.00
TOTQ9-3612M8	4	36	12	97 1/4	147	511.00
TOTQ9-3615M8	4	36	15	97 1/4	161	555.00
TOTQ9-4212M8	4	42	12	97 1/4	180	614.00
TOTQ9-4215M8	4	42	15	97 1/4	197	674.00
TOTQ9-4812M8	5	48	12	97 1/4	205	701.00
TOTQ9-4815M8	5	48	15	97 1/4	225	731.00
Double Entry						
TOTQ9-3024M8§	8	30	24	97 1/4	237	811.00
TOTQ9-3030M8*	8	30	30	97 1/4	278	970.00
TOTQ9-3624M8§	8	36	24	97 1/4	245	811.00
TOTQ9-3630M8*	8	36	30	97 1/4	287	970.00
TOTQ9-4224M8*	8	42	24	97 1/4	297	985.00
TOTQ9-4230M8*	8	42	30	97 1/4	334	1,117.00
TOTQ9-4824M8*	10	48	24	97 1/4	339	1,091.00
TOTQ9-4830M8*	10	48	30	97 1/4	381	1,254.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number. Example: LCTQ10-3012-8 becomes LCTQ10-3012M8. Pricing is identical; weight may vary slightly.

L&T PRECONFIGURED UNITS

Library Shelving, 76" High

7 SHELVES, 6 OPENINGS



STARTER UNITS (No Slots or Dividers)

Includes: Uprights (Two Closed "L")
Steel shelves (22 gauge)
Shelf supports
Reinforcements (where noted)
Front base(s)

Height to top of bottom shelf: 4 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.



ADDER UNITS (No Slots or Dividers)

Includes: Upright (One Closed "T")
Steel shelves (22 gauge)
Shelf supports
Reinforcements (where noted)
Front base(s)

Height to top of bottom shelf: 4 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.

CAT. NO.	W	D	H	WT.	PRICE
STARTER UNITS					
Single Entry With Open Back					
LOL-7-3609-6	36	9	76 1/4	84	375.00
LOL-7-3612-6	36	12	76 1/4	94	413.00
LOL-7-4209-6	42	9	76 1/4	106	449.00
LOL-7-4212-6	42	12	76 1/4	117	491.00
LOL-7-4809-6	48	9	76 1/4	116	465.00
LOL-7-4812-6	48	12	76 1/4	129	515.00
Single Entry With Closed Back					
LCL-7-3609-6	36	9	76 1/4	102	485.00
LCL-7-3612-6	36	12	76 1/4	113	523.00
LCL-7-4209-6	42	9	76 1/4	128	580.00
LCL-7-4212-6	42	12	76 1/4	139	622.00
LCL-7-4809-6	48	9	76 1/4	141	605.00
LCL-7-4812-6	48	12	76 1/4	154	655.00
Double Entry					
LOL-7-3618-6§	36	18	76 1/4	119	541.00
LOL-7-3624-6§	36	24	76 1/4	146	638.00
LOL-7-4218-6§	42	18	76 1/4	145	621.00
LOL-7-4224-6§	42	24	76 1/4	174	726.00
LOL-7-4818-6*	48	18	76 1/4	162	664.00
LOL-7-4824-6*	48	24	76 1/4	195	789.00

CAT. NO.	W	D	H	WT.	PRICE
ADDER UNITS					
Single Entry With Open Back					
TOL-7-3609-6	36	9	76 1/4	70	309.00
TOL-7-3612-6	36	12	76 1/4	80	333.00
TOL-7-4209-6	42	9	76 1/4	92	383.00
TOL-7-4212-6	42	12	76 1/4	103	411.00
TOL-7-4809-6	48	9	76 1/4	102	399.00
TOL-7-4812-6	48	12	76 1/4	115	435.00
Single Entry With Closed Back					
TCL-7-3609-6	36	9	76 1/4	88	419.00
TCL-7-3612-6	36	12	76 1/4	99	443.00
TCL-7-4209-6	42	9	76 1/4	114	514.00
TCL-7-4212-6	42	12	76 1/4	125	542.00
TCL-7-4809-6	48	9	76 1/4	127	539.00
TCL-7-4812-6	48	12	76 1/4	140	575.00
Double Entry					
TOL-7-3618-6§	36	18	76 1/4	103	436.00
TOL-7-3624-6§	36	24	76 1/4	124	503.00
TOL-7-4218-6§	42	18	76 1/4	129	516.00
TOL-7-4224-6§	42	24	76 1/4	152	591.00
TOL-7-4818-6*	48	18	76 1/4	146	559.00
TOL-7-4824-6*	48	24	76 1/4	173	654.00



STARTER UNITS (With Slotted Shelves & Dividers)

Includes: Uprights (Two Closed "L")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Dividers and Front base(s)



ADDER UNITS (With Slotted Shelves & Dividers)

Includes: Upright (One Closed "T")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Dividers and Front base(s)

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry With Open Back						
LOD-7-3609-6	3	36	9	76 1/4	101	457.00
LOD-7-3612-6	3	36	12	76 1/4	116	491.00
LOD-7-4209-6	3	42	9	76 1/4	124	533.00
LOD-7-4212-6	3	42	12	76 1/4	141	569.00
LOD-7-4809-6	4	48	9	76 1/4	139	576.00
LOD-7-4812-6	4	48	12	76 1/4	159	615.00
Single Entry With Closed Back						
LCD-7-3609-6	3	36	9	76 1/4	119	567.00
LCD-7-3612-6	3	36	12	76 1/4	135	601.00
LCD-7-4209-6	3	42	9	76 1/4	146	664.00
LCD-7-4212-6	3	42	12	76 1/4	163	700.00
LCD-7-4809-6	4	48	9	76 1/4	164	716.00
LCD-7-4812-6	4	48	12	76 1/4	184	725.00
Double Entry						
LOD-7-3618-6§	6	36	18	76 1/4	150	672.00
LOD-7-3624-6§	6	36	24	76 1/4	188	772.00
LOD-7-4218-6§	6	42	18	76 1/4	179	780.00
LOD-7-4224-6§	6	42	24	76 1/4	218	867.00
LOD-7-4818-6*	8	48	18	76 1/4	204	866.00
LOD-7-4824-6*	8	48	24	76 1/4	252	979.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry With Open Back						
TOD-7-3609-6	3	36	9	76 1/4	87	391.00
TOD-7-3612-6	3	36	12	76 1/4	102	411.00
TOD-7-4209-6	3	42	9	76 1/4	110	467.00
TOD-7-4212-6	3	42	12	76 1/4	127	489.00
TOD-7-4809-6	4	48	9	76 1/4	125	510.00
TOD-7-4812-6	4	48	12	76 1/4	145	535.00
Single Entry With Closed Back						
TCD-7-3609-6	3	36	9	76 1/4	105	501.00
TCD-7-3612-6	3	36	12	76 1/4	121	521.00
TCD-7-4209-6	3	42	9	76 1/4	132	598.00
TCD-7-4212-6	3	42	12	76 1/4	149	620.00
TCD-7-4809-6	4	48	9	76 1/4	150	650.00
TCD-7-4812-6	4	48	12	76 1/4	170	675.00
Double Entry						
TOD-7-3618-6§	6	36	18	76 1/4	134	593.00
TOD-7-3624-6§	6	36	24	76 1/4	166	637.00
TOD-7-4218-6§	6	42	18	76 1/4	163	675.00
TOD-7-4224-6§	6	42	24	76 1/4	196	732.00
TOD-7-4818-6*	8	48	18	76 1/4	188	761.00
TOD-7-4824-6*	8	48	24	76 1/4	230	844.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number.
Example: LOD-7-3612-6 becomes LOD-7-3612M6. Pricing is identical; weight may vary slightly.

L&T PRECONFIGURED UNITS

Library Shelving, 88" High



STARTER UNITS (No Slots or Dividers)

Includes: Uprights (Two Closed "L")
Steel shelves (22 gauge)
Shelf supports
Reinforcements (where noted)
Front base(s)

Height to top of bottom shelf: 4 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.



8 SHELVES, 7 OPENINGS

ADDER UNITS (No Slots or Dividers)

Includes: Upright (One Closed "T")
Steel shelves (22 gauge)
Shelf supports
Reinforcements (where noted)
Front base(s)

Height to top of bottom shelf: 4 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.

CAT. NO.	W	D	H	WT.	PRICE
STARTER UNITS					
Single Entry With Open Back					
LOL-8-3609-7	36	9	88 1/4	96	414.00
LOL-8-3612-7	36	12	88 1/4	110	450.00
LOL-8-4209-7	42	9	88 1/4	121	498.00
LOL-8-4212-7	42	12	88 1/4	136	539.00
LOL-8-4809-7	48	9	88 1/4	133	517.00
LOL-8-4812-7	48	12	88 1/4	149	566.00
Single Entry With Closed Back					
LCL-8-3609-7	36	9	88 1/4	117	535.00
LCL-8-3612-7	36	12	88 1/4	131	571.00
LCL-8-4209-7	42	9	88 1/4	146	639.00
LCL-8-4212-7	42	12	88 1/4	161	680.00
LCL-8-4809-7	48	9	88 1/4	162	672.00
LCL-8-4812-7	48	12	88 1/4	178	721.00
Double Entry					
LOL-8-3618-7§	36	18	88 1/4	137	601.00
LOL-8-3624-7§	36	24	88 1/4	169	703.00
LOL-8-4218-7§	42	18	88 1/4	167	693.00
LOL-8-4224-7§	42	24	88 1/4	200	802.00
LOL-8-4818-7*	48	18	88 1/4	186	742.00
LOL-8-4824-7*	48	24	88 1/4	224	876.00

CAT. NO.	W	D	H	WT.	PRICE
ADDER UNITS					
Single Entry With Open Back					
TOL-8-3609-7	36	9	88 1/4	82	340.00
TOL-8-3612-7	36	12	88 1/4	91	365.00
TOL-8-4209-7	42	9	88 1/4	107	424.00
TOL-8-4212-7	42	12	88 1/4	117	454.00
TOL-8-4809-7	48	9	88 1/4	119	443.00
TOL-8-4812-7	48	12	88 1/4	130	481.00
Single Entry With Closed Back					
TCL-8-3609-7	36	9	88 1/4	103	461.00
TCL-8-3612-7	36	12	88 1/4	112	486.00
TCL-8-4209-7	42	9	88 1/4	132	565.00
TCL-8-4212-7	42	12	88 1/4	142	595.00
TCL-8-4809-7	48	9	88 1/4	148	598.00
TCL-8-4812-7	48	12	88 1/4	159	636.00
Double Entry					
TOL-8-3618-7§	36	18	88 1/4	117	484.00
TOL-8-3624-7§	36	24	88 1/4	143	561.00
TOL-8-4218-7§	42	18	88 1/4	147	576.00
TOL-8-4224-7§	42	24	88 1/4	174	660.00
TOL-8-4818-7*	48	18	88 1/4	166	625.00
TOL-8-4824-7*	48	24	88 1/4	198	734.00



STARTER UNITS (With Slotted Shelves & Dividers)

Includes: Uprights (Two Closed "L")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Dividers and Front base(s)



ADDER UNITS (With Slotted Shelves & Dividers)

Includes: Upright (One Closed "T")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Dividers and Front base(s)

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry With Open Back						
LOD-8-3609-7	3	36	9	88 1/4	116	509.00
LOD-8-3612-7	3	36	12	88 1/4	136	541.00
LOD-8-4209-7	3	42	9	88 1/4	143	596.00
LOD-8-4212-7	3	42	12	88 1/4	164	630.00
LOD-8-4809-7	4	48	9	88 1/4	159	646.00
LOD-8-4812-7	4	48	12	88 1/4	184	683.00
Single Entry With Closed Back						
LCD-8-3609-7	3	36	9	88 1/4	137	630.00
LCD-8-3612-7	3	36	12	88 1/4	157	662.00
LCD-8-4209-7	3	42	9	88 1/4	168	737.00
LCD-8-4212-7	3	42	12	88 1/4	189	771.00
LCD-8-4809-7	4	48	9	88 1/4	188	801.00
LCD-8-4812-7	4	48	12	88 1/4	213	838.00
Double Entry						
LOD-8-3618-7§	6	36	18	88 1/4	174	785.00
LOD-8-3624-7§	6	36	24	88 1/4	218	859.00
LOD-8-4218-7§	6	42	18	88 1/4	206	878.00
LOD-8-4224-7§	6	42	24	88 1/4	252	967.00
LOD-8-4818-7*	8	48	18	88 1/4	235	977.00
LOD-8-4824-7*	8	48	24	88 1/4	290	1,097.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry With Open Back						
TOD-8-3609-7	3	36	9	88 1/4	102	435.00
TOD-8-3612-7	3	36	12	88 1/4	117	456.00
TOD-8-4209-7	3	42	9	88 1/4	129	522.00
TOD-8-4212-7	3	42	12	88 1/4	145	545.00
TOD-8-4809-7	4	48	9	88 1/4	145	572.00
TOD-8-4812-7	4	48	12	88 1/4	165	598.00
Single Entry With Closed Back						
TCD-8-3609-7	3	36	9	88 1/4	123	556.00
TCD-8-3612-7	3	36	12	88 1/4	138	577.00
TCD-8-4209-7	3	42	9	88 1/4	154	663.00
TCD-8-4212-7	3	42	12	88 1/4	170	686.00
TCD-8-4809-7	4	48	9	88 1/4	174	727.00
TCD-8-4812-7	4	48	12	88 1/4	194	753.00
Double Entry						
TOD-8-3618-7§	6	36	18	88 1/4	154	668.00
TOD-8-3624-7§	6	36	24	88 1/4	192	717.00
TOD-8-4218-7§	6	42	18	88 1/4	186	761.00
TOD-8-4224-7§	6	42	24	88 1/4	226	825.00
TOD-8-4818-7*	8	48	18	88 1/4	215	860.00
TOD-8-4824-7*	8	48	24	88 1/4	264	955.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number. Example: LOD-8-3612-7 becomes LOD-8-3612M7. Pricing is identical; weight may vary slightly.

5 SHELVES, 4 OPENINGS — OPEN STYLE



STARTER UNITS

Includes: Uprights (Two Open "L")
Steel shelves (18 gauge)
Shelf supports
Reinforcements: 2 per shelf
(except top shelf)



ADDER UNITS

Includes: Upright (One Open "I")
Steel shelves (18 gauge)
Shelf supports
Reinforcements: 2 per shelf
(except top shelf)

CAT. NO.	W	D	H	WT.	PRICE
76" High: 5 Shelves, 4 Openings					
LO-5-3612-6	36	12	76 1/4	83	311.00
LO-5-3615-6	36	15	76 1/4	93	336.00
LO-5-3618-6	36	18	76 1/4	104	362.00
LO-5-3624-6	36	24	76 1/4	126	415.00
LO-5-3630-6	36	30	76 1/4	148	486.00
LO-5-3636-6	36	36	76 1/4	168	543.00
LO-5-4212-6	42	12	76 1/4	91	365.00
LO-5-4215-6	42	15	76 1/4	102	375.00
LO-5-4218-6	42	18	76 1/4	115	401.00
LO-5-4224-6	42	24	76 1/4	139	464.00
LO-5-4230-6	42	30	76 1/4	163	540.00
LO-5-4236-6	42	36	76 1/4	186	602.00
LO-5-4812-6	48	12	76 1/4	99	382.00
LO-5-4815-6	48	15	76 1/4	112	402.00
LO-5-4818-6	48	18	76 1/4	126	428.00
LO-5-4824-6	48	24	76 1/4	152	501.00
LO-5-4830-6	48	30	76 1/4	179	577.00
LO-5-4836-6	48	36	76 1/4	205	649.00
88" High: 5 Shelves, 4 Openings					
LO-5-3612-7	36	12	88 1/4	85	319.00
LO-5-3615-7	36	15	88 1/4	95	374.00
LO-5-3618-7	36	18	88 1/4	108	374.00
LO-5-3624-7	36	24	88 1/4	130	431.00
LO-5-3630-7	36	30	88 1/4	151	502.00
LO-5-3636-7	36	36	88 1/4	172	579.00
LO-5-4212-7	42	12	88 1/4	93	373.00
LO-5-4215-7	42	15	88 1/4	104	385.00
LO-5-4218-7	42	18	88 1/4	119	413.00
LO-5-4224-7	42	24	88 1/4	143	480.00
LO-5-4230-7	42	30	88 1/4	167	556.00
LO-5-4236-7	42	36	88 1/4	190	638.00
LO-5-4812-7	48	12	88 1/4	101	390.00
LO-5-4815-7	48	15	88 1/4	114	412.00
LO-5-4818-7	48	18	88 1/4	130	440.00
LO-5-4824-7	48	24	88 1/4	156	517.00
LO-5-4830-7	48	30	88 1/4	182	593.00
LO-5-4836-7	48	36	88 1/4	209	685.00
Extra Shelf Levels					
HDSL-3612	36	12	1 7/32	12.9	43.00
HDSL-3615	36	15	1 7/32	14.9	48.00
HDSL-3618	36	18	1 7/32	16.9	53.00
HDSL-3624	36	24	1 7/32	21.0	63.00
HDSL-3630	36	30	1 7/32	25.0	76.00
HDSL-3636	36	36	1 7/32	29.0	89.00
HDSL-4212	42	12	1 7/32	14.5	54.00
HDSL-4215	42	15	1 7/32	16.8	56.00
HDSL-4218	42	18	1 7/32	19.0	61.00
HDSL-4224	42	24	1 7/32	24.0	73.00
HDSL-4230	42	30	1 7/32	28.0	87.00
HDSL-4236	42	36	1 7/32	33.0	101.00
HDSL-4812	48	12	1 7/32	16.1	57.00
HDSL-4815	48	15	1 7/32	18.7	61.00
HDSL-4818	48	18	1 7/32	21.0	66.00
HDSL-4824	48	24	1 7/32	26.0	81.00
HDSL-4830	48	30	1 7/32	31.0	95.00
HDSL-4836	48	36	1 7/32	36.0	110.00

CAT. NO.	W	D	H	WT.	PRICE
76" High: 5 Shelves, 4 Openings					
TO-5-3612-6	36	12	76 1/4	77	270.00
TO-5-3615-6	36	15	76 1/4	86	292.00
TO-5-3618-6	36	18	76 1/4	98	319.00
TO-5-3624-6	36	24	76 1/4	118	372.00
TO-5-3630-6	36	30	76 1/4	139	461.00
TO-5-3636-6	36	36	76 1/4	158	510.00
TO-5-4212-6	42	12	76 1/4	85	308.00
TO-5-4215-6	42	15	76 1/4	96	331.00
TO-5-4218-6	42	18	76 1/4	109	358.00
TO-5-4224-6	42	24	76 1/4	131	421.00
TO-5-4230-6	42	30	76 1/4	155	496.00
TO-5-4236-6	42	36	76 1/4	176	559.00
TO-5-4812-6	48	12	76 1/4	93	339.00
TO-5-4815-6	48	15	76 1/4	105	358.00
TO-5-4818-6	48	18	76 1/4	120	385.00
TO-5-4824-6	48	24	76 1/4	144	458.00
TO-5-4830-6	48	30	76 1/4	170	533.00
TO-5-4836-6	48	36	76 1/4	195	616.00
88" High: 5 Shelves, 4 Openings					
TO-5-3612-7	36	12	88 1/4	78	273.00
TO-5-3615-7	36	15	88 1/4	89	302.00
TO-5-3618-7	36	18	88 1/4	100	329.00
TO-5-3624-7	36	24	88 1/4	120	383.00
TO-5-3630-7	36	30	88 1/4	142	468.00
TO-5-3636-7	36	36	88 1/4	163	519.00
TO-5-4212-7	42	12	88 1/4	86	327.00
TO-5-4215-7	42	15	88 1/4	98	341.00
TO-5-4218-7	42	18	88 1/4	111	368.00
TO-5-4224-7	42	24	88 1/4	133	432.00
TO-5-4230-7	42	30	88 1/4	158	505.00
TO-5-4236-7	42	36	88 1/4	181	578.00
TO-5-4812-7	48	12	88 1/4	94	344.00
TO-5-4815-7	48	15	88 1/4	108	368.00
TO-5-4818-7	48	18	88 1/4	122	395.00
TO-5-4824-7	48	24	88 1/4	146	469.00
TO-5-4830-7	48	30	88 1/4	173	542.00
TO-5-4836-7	48	36	88 1/4	200	625.00
Extra Shelf Levels					
HDSL-3612	36	12	1 7/32	12.9	43.00
HDSL-3615	36	15	1 7/32	14.9	48.00
HDSL-3618	36	18	1 7/32	16.9	53.00
HDSL-3624	36	24	1 7/32	21.0	63.00
HDSL-3630	36	30	1 7/32	25.0	76.00
HDSL-3636	36	36	1 7/32	29.0	89.00
HDSL-4212	42	12	1 7/32	14.5	54.00
HDSL-4215	42	15	1 7/32	16.8	56.00
HDSL-4218	42	18	1 7/32	19.0	61.00
HDSL-4224	42	24	1 7/32	24.0	73.00
HDSL-4230	42	30	1 7/32	28.0	87.00
HDSL-4236	42	36	1 7/32	33.0	101.00
HDSL-4812	48	12	1 7/32	16.1	57.00
HDSL-4815	48	15	1 7/32	18.7	61.00
HDSL-4818	48	18	1 7/32	21.0	66.00
HDSL-4824	48	24	1 7/32	26.0	81.00
HDSL-4830	48	30	1 7/32	31.0	95.00
HDSL-4836	48	36	1 7/32	36.0	110.00

L&T PRECONFIGURED UNITS

Heavy Duty Shelving: Closed Style



STARTER UNITS

Includes: Uprights (Two Closed "L")
Steel shelves (18 gauge)
Shelf supports
Reinforcements: 2 per shelf
(except top shelf)

Optional backs available on page 25



ADDER UNITS

Includes: Upright (One Closed "T")
Steel shelves (18 gauge)
Shelf supports
Reinforcements: 2 per shelf
(except top shelf)

Optional backs available on page 25

5 SHELVES, 4 OPENINGS — CLOSED STYLE

CAT. NO.	W	D	H	WT.	PRICE
76" High: 5 Shelves, 4 Openings					
LS-5-3612-6	36	12	76 1/4	91	319.00
LS-5-3615-6	36	15	76 1/4	103	354.00
LS-5-3618-6	36	18	76 1/4	116	394.00
LS-5-3624-6	36	24	76 1/4	144	465.00
LS-5-3630-6	36	30	76 1/4	170	548.00
LS-5-3636-6	36	36	76 1/4	196	635.00
LS-5-4212-6	42	12	76 1/4	99	373.00
LS-5-4215-6	42	15	76 1/4	112	393.00
LS-5-4218-6	42	18	76 1/4	127	433.00
LS-5-4224-6	42	24	76 1/4	157	514.00
LS-5-4230-6	42	30	76 1/4	185	602.00
LS-5-4236-6	42	36	76 1/4	214	694.00
LS-5-4812-6	48	12	76 1/4	107	390.00
LS-5-4815-6	48	15	76 1/4	122	420.00
LS-5-4818-6	48	18	76 1/4	138	460.00
LS-5-4824-6	48	24	76 1/4	170	551.00
LS-5-4830-6	48	30	76 1/4	201	639.00
LS-5-4836-6	48	36	76 1/4	233	741.00
88" High: 5 Shelves, 4 Openings					
LS-5-3612-7	36	12	88 1/4	95	337.00
LS-5-3615-7	36	15	88 1/4	107	378.00
LS-5-3618-7	36	18	88 1/4	122	418.00
LS-5-3624-7	36	24	88 1/4	150	489.00
LS-5-3630-7	36	30	88 1/4	175	578.00
LS-5-3636-7	36	36	88 1/4	202	663.00
LS-5-4212-7	42	12	88 1/4	103	391.00
LS-5-4215-7	42	15	88 1/4	116	417.00
LS-5-4218-7	42	18	88 1/4	133	457.00
LS-5-4224-7	42	24	88 1/4	163	538.00
LS-5-4230-7	42	30	88 1/4	191	632.00
LS-5-4236-7	42	36	88 1/4	220	722.00
LS-5-4812-7	48	12	88 1/4	111	408.00
LS-5-4815-7	48	15	88 1/4	126	444.00
LS-5-4818-7	48	18	88 1/4	144	484.00
LS-5-4824-7	48	24	88 1/4	176	575.00
LS-5-4830-7	48	30	88 1/4	206	669.00
LS-5-4836-7	48	36	88 1/4	239	769.00
Extra Shelf Levels					
HDSL-3612	36	12	1 7/32	12.9	43.00
HDSL-3615	36	15	1 7/32	14.9	48.00
HDSL-3618	36	18	1 7/32	16.9	53.00
HDSL-3624	36	24	1 7/32	21.0	63.00
HDSL-3630	36	30	1 7/32	25.0	76.00
HDSL-3636	36	36	1 7/32	29.0	89.00
HDSL-4212	42	12	1 7/32	14.5	54.00
HDSL-4215	42	15	1 7/32	16.8	56.00
HDSL-4218	42	18	1 7/32	19.0	61.00
HDSL-4224	42	24	1 7/32	24.0	73.00
HDSL-4230	42	30	1 7/32	28.0	87.00
HDSL-4236	42	36	1 7/32	33.0	101.00
HDSL-4812	48	12	1 7/32	16.1	57.00
HDSL-4815	48	15	1 7/32	18.7	61.00
HDSL-4818	48	18	1 7/32	21.0	66.00
HDSL-4824	48	24	1 7/32	26.0	81.00
HDSL-4830	48	30	1 7/32	31.0	95.00
HDSL-4836	48	36	1 7/32	36.0	110.00

CAT. NO.	W	D	H	WT.	PRICE
76" High: 5 Shelves, 4 Openings					
TS-5-3612-6	36	12	76 1/4	81	280.00
TS-5-3615-6	36	15	76 1/4	92	306.00
TS-5-3618-6	36	18	76 1/4	104	337.00
TS-5-3624-6	36	24	76 1/4	127	399.00
TS-5-3630-6	36	30	76 1/4	150	473.00
TS-5-3636-6	36	36	76 1/4	172	533.00
TS-5-4212-6	42	12	76 1/4	89	334.00
TS-5-4215-6	42	15	76 1/4	101	345.00
TS-5-4218-6	42	18	76 1/4	115	376.00
TS-5-4224-6	42	24	76 1/4	140	448.00
TS-5-4230-6	42	30	76 1/4	166	527.00
TS-5-4236-6	42	36	76 1/4	190	592.00
TS-5-4812-6	48	12	76 1/4	97	351.00
TS-5-4815-6	48	15	76 1/4	111	372.00
TS-5-4818-6	48	18	76 1/4	126	403.00
TS-5-4824-6	48	24	76 1/4	153	485.00
TS-5-4830-6	48	30	76 1/4	181	564.00
TS-5-4836-6	48	36	76 1/4	209	639.00
88" High: 5 Shelves, 4 Openings					
TS-5-3612-7	36	12	88 1/4	83	288.00
TS-5-3615-7	36	15	88 1/4	95	318.00
TS-5-3618-7	36	18	88 1/4	107	351.00
TS-5-3624-7	36	24	88 1/4	131	414.00
TS-5-3630-7	36	30	88 1/4	154	492.00
TS-5-3636-7	36	36	88 1/4	178	562.00
TS-5-4212-7	42	12	88 1/4	91	342.00
TS-5-4215-7	42	15	88 1/4	104	357.00
TS-5-4218-7	42	18	88 1/4	118	390.00
TS-5-4224-7	42	24	88 1/4	144	463.00
TS-5-4230-7	42	30	88 1/4	170	546.00
TS-5-4236-7	42	36	88 1/4	196	621.00
TS-5-4812-7	48	12	88 1/4	99	359.00
TS-5-4815-7	48	15	88 1/4	114	384.00
TS-5-4818-7	48	18	88 1/4	129	417.00
TS-5-4824-7	48	24	88 1/4	157	500.00
TS-5-4830-7	48	30	88 1/4	185	583.00
TS-5-4836-7	48	36	88 1/4	215	668.00
Extra Shelf Levels					
HDSL-3612	36	12	1 7/32	12.9	43.00
HDSL-3615	36	15	1 7/32	14.9	48.00
HDSL-3618	36	18	1 7/32	16.9	53.00
HDSL-3624	36	24	1 7/32	21.0	63.00
HDSL-3630	36	30	1 7/32	25.0	76.00
HDSL-3636	36	36	1 7/32	29.0	89.00
HDSL-4212	42	12	1 7/32	14.5	54.00
HDSL-4215	42	15	1 7/32	16.8	56.00
HDSL-4218	42	18	1 7/32	19.0	61.00
HDSL-4224	42	24	1 7/32	24.0	73.00
HDSL-4230	42	30	1 7/32	28.0	87.00
HDSL-4236	42	36	1 7/32	33.0	101.00
HDSL-4812	48	12	1 7/32	16.1	57.00
HDSL-4815	48	15	1 7/32	18.7	61.00
HDSL-4818	48	18	1 7/32	21.0	66.00
HDSL-4824	48	24	1 7/32	26.0	81.00
HDSL-4830	48	30	1 7/32	31.0	95.00
HDSL-4836	48	36	1 7/32	36.0	110.00


6 SHELVES, 5 OPENINGS



STARTER UNITS
(Single Entry)

Includes: Uprights (Two Closed "L"s)
Slotted or punched steel shelves
Plain top shelf
Shelf supports
Reinforcements (where noted)
Backstops
Dividers
Front base
Optional back available on page 25

Height to top of bottom shelf: 3"; shelf placed 16 1/2" on center with 15 1/4" vertical filing space/opening.



ADDER UNITS
(Single Entry)

Includes: Upright (One Closed "T")
Slotted or punched steel shelves
Plain top shelf
Shelf supports
Reinforcements (where noted)
Backstops
Dividers
Front base
Optional back available on page 25

Height to top of bottom shelf: 3"; shelf placed 16 1/2" on center with 15 1/4" vertical filing space/opening.

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
WITH ADJUSTABLE FILE DIVIDERS						
LX-6-3618-85*	3	36	18	85	178	624.00
LX-6-4218-85*	3	42	18	85	206	711.00
LX-6-4818-85*	4	48	18	85	234	798.00
WITH BIN DIVIDERS						
LB-6-3618-85	3	36	18	85	176	767.00
LB-6-4218-85	3	42	18	85	190	829.00
LB-6-4818-85	4	48	18	85	219	941.00

*Includes 2 reinforcements per shelf except top shelf.

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
WITH ADJUSTABLE FILE DIVIDERS						
TX-6-3618-85*	3	36	18	85	164	557.00
TX-6-4218-85*	3	42	18	85	192	644.00
TX-6-4818-85*	4	48	18	85	220	731.00
WITH BIN DIVIDERS						
TB-6-3618-85	3	36	18	85	162	700.00
TB-6-4218-85	3	42	18	85	176	762.00
TB-6-4818-85	4	48	18	85	205	874.00

*Includes 2 reinforcements per shelf except top shelf.



STARTER UNITS
(Double Entry)

Includes: Uprights (Two Closed "L"s)
Slotted or punched steel shelves
Plain top shelf
Shelf supports
Reinforcements (where noted)
Center stop or center divider
Dividers
Front base

Height to top of bottom shelf: 3"; shelf placed 16 1/2" on center with 15 1/4" vertical filing space/opening.



ADDER UNITS
(Double Entry)

Includes: Upright (One Closed "T")
Slotted or punched steel shelves
Plain top shelf
Shelf supports
Reinforcements (where noted)
Center stop or center divider
Dividers
Front base

Height to top of bottom shelf: 3"; shelf placed 16 1/2" on center with 15 1/4" vertical filing space/opening.

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
WITH ADJUSTABLE FILE DIVIDERS						
LX-6-3636-85*	6	36	36	85	327	1,142.00
LX-6-4236-85 ¥	6	42	36	85	367	1,241.00
LX-6-4836-85 §	8	48	36	85	429	1,444.00
WITH BIN DIVIDERS						
LB-6-3636-85*	6	36	36	85	330	1,360.00
LB-6-4236-85*	6	42	36	85	356	1,423.00
LB-6-4836-85*	8	48	36	85	410	1,665.00

*Includes 2 reinforcements per shelf except top shelf.
¥Includes 3 reinforcements per shelf except top shelf.
§Includes 4 reinforcements per shelf except top shelf.

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
WITH ADJUSTABLE FILE DIVIDERS						
TX-6-3636-85*	6	36	36	85	304	1,041.00
TX-6-4236-85 ¥	6	42	36	85	344	1,140.00
TX-6-4836-85 §	8	48	36	85	406	1,343.00
WITH BIN DIVIDERS						
TB-6-3636-85*	6	36	36	85	307	1,259.00
TB-6-4236-85*	6	42	36	85	333	1,322.00
TB-6-4836-85*	8	48	36	85	387	1,564.00

*Includes 2 reinforcements per shelf except top shelf.
¥Includes 3 reinforcements per shelf except top shelf.
§Includes 4 reinforcements per shelf except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number. Example: LX-6-3636-85 becomes LX-6-3636M85. Pricing is identical; weight may vary slightly.

L&T COMPONENTS & ACCESSORIES

Open Uprights

► Items with this symbol are available to ship in 2 days.
Limited quantities and select colors (listed at right).

(SND) (LGY)

OPEN UPRIGHTS

USE FOR ROW ENDS

All open "L" uprights are 1 1/8" wide.

CAT. NO.	PCS/CTN	D	H	WT.	PRICE
1240LO	4	12	40 1/4	5.8	36.00
1540LO	4	15	40 1/4	6.4	37.00
0964LO	6	9	64 1/4	8.5	46.00
1264LO	4	12	64 1/4	8.9	46.00
1564LO	4	15	64 1/4	9.7	48.00
1864LO	4	18	64 1/4	10.0	48.00
2464LO	4	24	64 1/4	11.0	45.00
3064LO	4	30	64 1/4	12.0	47.00
3664LO	4	36	64 1/4	13.0	50.00
0976LO	4	9	76 1/4	9.6	49.00
1076LO	4	10	76 1/4	9.7	51.00
1276LO	6	12	76 1/4	9.9	51.00
1376LO	4	13	76 1/4	9.9	51.00
1576LO	6	15	76 1/4	10.0	51.00
1676LO	4	16	76 1/4	10.3	52.00
1876LO	4	18	76 1/4	11.0	52.00
2076LO	4	20	76 1/4	11.3	54.00
2476LO	4	24	76 1/4	12.0	54.00
2676LO	4	26	76 1/4	12.4	58.00
3076LO	4	30	76 1/4	13.3	58.00
3276LO	4	32	76 1/4	14.0	56.00
3676LO	4	36	76 1/4	14.0	56.00
0985LO	4	9	85 1/4	10.0	55.00
1085LO	4	10	85 1/4	10.3	55.00
1285LO	6	12	85 1/4	11.0	55.00
1385LO	4	13	85 1/4	11.0	55.00
1585LO	6	15	85 1/4	11.0	55.00
1685LO	4	16	85 1/4	11.3	58.00
1885LO	4	18	85 1/4	12.0	58.00
2085LO	4	20	85 1/4	12.3	61.00
2485LO	4	24	85 1/4	13.0	61.00
2685LO	4	26	85 1/4	13.3	66.00
3085LO	4	30	85 1/4	14.0	66.00
3285LO	4	32	85 1/4	14.3	72.00
3685LO	4	36	85 1/4	15.0	72.00
0988LO	4	9	88 1/4	11.0	55.00
1088LO	4	10	88 1/4	11.0	55.00
1288LO	6	12	88 1/4	11.0	55.00
1388LO	4	13	88 1/4	11.0	56.00
1588LO	6	15	88 1/4	11.0	56.00
1688LO	4	16	88 1/4	13.0	58.00
1888LO	4	18	88 1/4	13.0	58.00
2088LO	4	20	88 1/4	13.3	62.00
2488LO	4	24	88 1/4	14.0	62.00
2688LO	4	26	88 1/4	14.3	66.00
3088LO	4	30	88 1/4	15.0	66.00
3288LO	4	32	88 1/4	16.0	74.00
3688LO	4	36	88 1/4	16.0	74.00
0997LO	4	9	97 1/4	12.0	60.00
1297LO	4	12	97 1/4	13.0	58.00
1597LO	4	15	97 1/4	14.0	65.00
1897LO	4	18	97 1/4	15.0	68.00
2497LO	4	24	97 1/4	17.0	69.00
3097LO	4	30	97 1/4	17.0	77.00
3697LO	4	36	97 1/4	18.0	86.00

All open "T" uprights are 2" wide.

USE FOR INTERMEDIATE POSTS

CAT. NO.	PCS/CTN	D	H	WT.	PRICE
1240TO	3	12	40 1/4	7.9	43.00
1540TO	3	15	40 1/4	8.6	44.00
0964TO	6	9	64 1/4	11.0	54.00
1264TO	3	12	64 1/4	12.0	55.00
1564TO	3	15	64 1/4	13.0	58.00
1864TO	3	18	64 1/4	14.0	59.00
2464TO	3	24	64 1/4	14.7	62.00
3064TO	3	30	64 1/4	15.0	63.00
3664TO	3	36	64 1/4	16.0	58.00
0976TO	6	9	76 1/4	13.4	56.00
1076TO	4	10	76 1/4	13.6	59.00
1276TO	4	12	76 1/4	14.0	59.00
1376TO	4	13	76 1/4	13.7	58.00
1576TO	4	15	76 1/4	13.7	58.00
1676TO	3	16	76 1/4	14.2	61.00
1876TO	3	18	76 1/4	16.0	61.00
2076TO	3	20	76 1/4	16.0	65.00
2476TO	3	24	76 1/4	16.0	65.00
2676TO	3	26	76 1/4	16.7	72.00
3076TO	3	30	76 1/4	18.0	72.00
3276TO	3	32	76 1/4	16.0	79.00
3676TO	3	36	76 1/4	18.0	79.00
0985TO	6	9	85 1/4	12.1	65.00
1085TO	4	10	85 1/4	13.1	64.00
1285TO	4	12	85 1/4	15.0	64.00
1385TO	4	13	85 1/4	15.3	67.00
1585TO	4	15	85 1/4	16.0	67.00
1685TO	3	16	85 1/4	16.3	70.00
1885TO	3	18	85 1/4	17.0	70.00
2085TO	3	20	85 1/4	17.7	74.00
2485TO	3	24	85 1/4	19.0	74.00
2685TO	3	26	85 1/4	19.1	79.00
3085TO	3	30	85 1/4	19.3	79.00
3285TO	3	32	85 1/4	20.0	87.00
3685TO	4	36	85 1/4	22.0	87.00
0988TO	6	9	88 1/4	15.0	66.00
1088TO	4	10	88 1/4	15.0	64.00
1288TO	4	12	88 1/4	15.0	64.00
1388TO	4	13	88 1/4	16.0	68.00
1588TO	4	15	88 1/4	16.0	68.00
1688TO	3	16	88 1/4	18.0	71.00
1888TO	3	18	88 1/4	18.0	71.00
2088TO	3	20	88 1/4	18.0	76.00
2488TO	3	24	88 1/4	18.0	76.00
2688TO	3	26	88 1/4	19.0	81.00
3088TO	3	30	88 1/4	21.0	81.00
3288TO	3	32	88 1/4	23.0	88.00
3688TO	4	36	88 1/4	23.0	88.00
0997TO	6	9	97 1/4	17.0	75.00
1297TO	3	12	97 1/4	18.0	71.00
1597TO	3	15	97 1/4	19.0	78.00
1897TO	3	18	97 1/4	19.0	82.00
2497TO	3	24	97 1/4	21.0	85.00
3097TO	3	30	97 1/4	22.0	93.00
3697TO	3	36	97 1/4	23.0	102.00




Custom heights and/or custom punch spacing on uprights are also available. Call factory for pricing.

L&T COMPONENTS & ACCESSORIES

Closed Uprights

► Items with this symbol are available to ship in 2 days.
Limited quantities and select colors (listed at right).



CLOSED UPRIGHTS

USE FOR ROW ENDS

CAT. NO.	PCS/CTN	D	H	WT.	PRICE
1240LC	4	12	40 ¹ / ₄	7.8	44.00
1540LC	4	15	40 ¹ / ₄	9.0	46.00
1840LC	4	18	40 ¹ / ₄	10.1	50.00
2440LC	4	24	40 ¹ / ₄	12.0	55.00
3040LC	4	30	40 ¹ / ₄	14.0	59.00
3640LC	4	36	40 ¹ / ₄	16.0	64.00
0964LC	6	9	64 ¹ / ₄	11.0	52.00
1264LC	4	12	64 ¹ / ₄	12.0	54.00
1564LC	4	15	64 ¹ / ₄	14.0	59.00
1864LC	4	18	64 ¹ / ₄	15.0	63.00
2464LC	4	24	64 ¹ / ₄	19.0	64.00
3064LC	4	30	64 ¹ / ₄	21.0	81.00
3664LC	4	36	64 ¹ / ₄	24.0	82.00
0976LC	4	9	76 ¹ / ₄	13.0	57.00
1076LC	4	10	76 ¹ / ₄	13.7	55.00
1276LC	6	12	76 ¹ / ₄	13.7	55.00
1376LC	4	13	76 ¹ / ₄	14.1	60.00
1576LC	6	15	76 ¹ / ₄	15.0	60.00
1676LC	4	16	76 ¹ / ₄	15.1	68.00
1876LC	4	18	76 ¹ / ₄	17.0	68.00
2076LC	4	20	76 ¹ / ₄	21.0	79.00
2476LC	4	24	76 ¹ / ₄	21.0	79.00
2676LC	4	26	76 ¹ / ₄	22.0	89.00
3076LC	4	30	76 ¹ / ₄	24.3	89.00
3276LC	4	32	76 ¹ / ₄	25.0	102.00
3676LC	4	36	76 ¹ / ₄	28.0	102.00
0985LC	4	9	85 ¹ / ₄	14.0	66.00
1085LC	4	10	85 ¹ / ₄	15.0	64.00
1285LC	6	12	85 ¹ / ₄	15.0	64.00
1385LC	4	13	85 ¹ / ₄	17.0	71.00
1585LC	6	15	85 ¹ / ₄	17.0	71.00
1685LC	4	16	85 ¹ / ₄	17.7	79.00
1885LC	4	18	85 ¹ / ₄	19.0	79.00
2085LC	4	20	85 ¹ / ₄	20.0	91.00
2485LC	4	24	85 ¹ / ₄	23.0	91.00
2685LC	4	26	85 ¹ / ₄	24.0	103.00
3085LC	4	30	85 ¹ / ₄	27.0	103.00
3285LC	4	32	85 ¹ / ₄	31.0	116.00
3685LC	4	36	85 ¹ / ₄	30.0	116.00
0988LC	4	9	88 ¹ / ₄	14.0	67.00
1088LC	4	10	88 ¹ / ₄	16.0	64.00
1288LC	6	12	88 ¹ / ₄	16.0	64.00
1388LC	6	13	88 ¹ / ₄	17.0	72.00
1588LC	6	15	88 ¹ / ₄	17.0	72.00
1688LC	4	16	88 ¹ / ₄	20.0	80.00
1888LC	4	18	88 ¹ / ₄	20.0	80.00
2088LC	4	20	88 ¹ / ₄	24.0	91.00
2488LC	4	24	88 ¹ / ₄	24.0	91.00
2688LC	4	26	88 ¹ / ₄	25.0	104.00
3088LC	4	30	88 ¹ / ₄	27.0	104.00
3288LC	4	32	88 ¹ / ₄	31.0	116.00
3688LC	4	36	88 ¹ / ₄	31.0	116.00
0997LC	4	9	97 ¹ / ₄	16.0	71.00
1297LC	4	12	97 ¹ / ₄	18.0	72.00
1597LC	4	15	97 ¹ / ₄	21.0	88.00
1897LC	4	18	97 ¹ / ₄	23.0	89.00
2497LC	4	24	97 ¹ / ₄	27.0	105.00
3097LC	4	30	97 ¹ / ₄	31.0	123.00
3697LC	4	36	97 ¹ / ₄	35.0	141.00
12121LC	4	12	121 ¹ / ₄	23.0	93.00
15121LC	4	15	121 ¹ / ₄	26.0	101.00
18121LC	4	18	121 ¹ / ₄	28.0	109.00
24121LC	4	24	121 ¹ / ₄	34.0	124.00
30121LC	4	30	121 ¹ / ₄	39.0	145.00
36121LC	4	36	121 ¹ / ₄	44.0	145.00

All closed "L" uprights are 1¹/₈" wide.



Custom heights and/or custom punch spacing on uprights are also available. Call factory for pricing.

USE FOR INTERMEDIATE POSTS

CAT. NO.	PCS/CTN	D	H	WT.	PRICE
1240TC	3	12	40 ¹ / ₄	10.0	51.00
1540TC	3	15	40 ¹ / ₄	11.0	54.00
1840TC	3	18	40 ¹ / ₄	12.0	57.00
2440TC	3	24	40 ¹ / ₄	14.0	61.00
3040TC	3	30	40 ¹ / ₄	16.0	64.00
3640TC	3	36	40 ¹ / ₄	18.0	69.00
0964TC	6	9	64 ¹ / ₄	14.0	60.00
1264TC	3	12	64 ¹ / ₄	16.0	63.00
1564TC	3	15	64 ¹ / ₄	17.0	69.00
1864TC	3	18	64 ¹ / ₄	18.5	74.00
2464TC	3	24	64 ¹ / ₄	22.0	84.00
3064TC	3	30	64 ¹ / ₄	25.0	94.00
3664TC	3	36	64 ¹ / ₄	28.0	91.00
0976TC	6	9	76 ¹ / ₄	16.6	64.00
1076TC	4	10	76 ¹ / ₄	17.1	71.00
1276TC	4	12	76 ¹ / ₄	18.0	71.00
1376TC	4	13	76 ¹ / ₄	18.3	72.00
1576TC	4	15	76 ¹ / ₄	19.0	72.00
1676TC	3	16	76 ¹ / ₄	20.0	79.00
1876TC	3	18	76 ¹ / ₄	22.0	79.00
2076TC	3	20	76 ¹ / ₄	23.0	92.00
2476TC	3	24	76 ¹ / ₄	25.0	92.00
2676TC	3	26	76 ¹ / ₄	26.0	103.00
3076TC	3	30	76 ¹ / ₄	29.0	103.00
3276TC	3	32	76 ¹ / ₄	30.0	102.00
3676TC	3	36	76 ¹ / ₄	32.0	102.00
0985TC	6	9	85 ¹ / ₄	18.0	74.00
1085TC	4	10	85 ¹ / ₄	20.0	79.00
1285TC	4	12	85 ¹ / ₄	20.0	79.00
1385TC	4	13	85 ¹ / ₄	20.0	84.00
1585TC	4	15	85 ¹ / ₄	21.0	84.00
1685TC	3	16	85 ¹ / ₄	22.0	91.00
1885TC	3	18	85 ¹ / ₄	24.0	91.00
2085TC	3	20	85 ¹ / ₄	26.0	106.00
2485TC	3	24	85 ¹ / ₄	29.0	106.00
2685TC	3	26	85 ¹ / ₄	30.0	122.00
3085TC	3	30	85 ¹ / ₄	32.0	122.00
3285TC	3	32	85 ¹ / ₄	37.0	131.00
3685TC	3	36	85 ¹ / ₄	37.0	131.00
0988TC	6	9	88 ¹ / ₄	19.0	76.00
1088TC	4	10	88 ¹ / ₄	20.0	79.00
1288TC	4	12	88 ¹ / ₄	20.0	79.00
1388TC	4	13	88 ¹ / ₄	22.0	84.00
1588TC	4	15	88 ¹ / ₄	22.0	84.00
1688TC	3	16	88 ¹ / ₄	25.0	93.00
1888TC	3	18	88 ¹ / ₄	25.0	93.00
2088TC	3	20	88 ¹ / ₄	26.0	107.00
2488TC	3	24	88 ¹ / ₄	29.0	107.00
2688TC	3	26	88 ¹ / ₄	30.0	122.00
3088TC	3	30	88 ¹ / ₄	33.0	122.00
3288TC	3	32	88 ¹ / ₄	38.0	131.00
3688TC	3	36	88 ¹ / ₄	38.0	131.00
0997TC	6	9	97 ¹ / ₄	21.0	88.00
1297TC	3	12	97 ¹ / ₄	23.0	89.00
1597TC	3	15	97 ¹ / ₄	25.0	104.00
1897TC	3	18	97 ¹ / ₄	28.0	105.00
2497TC	3	24	97 ¹ / ₄	32.0	121.00
3097TC	3	30	97 ¹ / ₄	37.0	142.00
3697TC	3	36	97 ¹ / ₄	41.0	157.00
12121TC	3	12	121 ¹ / ₄	21.0	112.00
15121TC	3	15	121 ¹ / ₄	32.0	121.00
18121TC	3	18	121 ¹ / ₄	35.0	129.00
24121TC	3	24	121 ¹ / ₄	40.0	143.00
30121TC	3	30	121 ¹ / ₄	46.0	170.00
36121TC	3	36	121 ¹ / ₄	51.0	190.00

All closed "T" uprights are 2" wide.





Custom heights and/or custom punch spacing on uprights are also available. Call factory for pricing.

L&T COMPONENTS & ACCESSORIES

Double Wall (Library) Uprights

DOUBLE WALL UPRIGHTS




CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
"L" UPRIGHTS						
1240LL	4	1 1/8	12	40 1/4	12	80.00
1540LL	3	1 1/8	15	40 1/4	14	96.00
0964LL	4	1 1/8	9	64 1/4	16	95.00
1264LL	3	1 1/8	12	64 1/4	19	105.00
1564LL	3	1 1/8	15	64 1/4	21	116.00
1864LL	3	1 1/8	18	64 1/4	23	132.00
2464LL	2	1 1/8	24	64 1/4	28	147.00
3064LL	2	1 1/8	30	64 1/4	33	175.00
0976LL	4	1 1/8	9	76 1/4	18	105.00
1276LL	3	1 1/8	12	76 1/4	20	117.00
1576LL	3	1 1/8	15	76 1/4	21	127.00
1876LL	2	1 1/8	18	76 1/4	23	145.00
2476LL	2	1 1/8	24	76 1/4	29	173.00
3076LL	2	1 1/8	30	76 1/4	35	190.00
0985LL	4	1 1/8	9	85 1/4	21	113.00
1285LL	3	1 1/8	12	85 1/4	23	122.00
1585LL	3	1 1/8	15	85 1/4	25	135.00
1885LL	2	1 1/8	18	85 1/4	26	158.00
2485LL	2	1 1/8	24	85 1/4	35	186.00
3085LL	2	1 1/8	30	85 1/4	44	211.00
0988LL	4	1 1/8	9	88 1/4	21	113.00
1288LL	3	1 1/8	12	88 1/4	24	123.00
1588LL	3	1 1/8	15	88 1/4	25	135.00
1888LL	2	1 1/8	18	88 1/4	27	158.00
2488LL	2	1 1/8	24	88 1/4	34	185.00
3088LL	2	1 1/8	30	88 1/4	41	211.00
0997LL	2	1 1/8	9	97 1/4	23	124.00
1297LL	3	1 1/8	12	97 1/4	28	141.00
1597LL	3	1 1/8	15	97 1/4	31	156.00
1897LL	2	1 1/8	18	97 1/4	33	177.00
2497LL	2	1 1/8	24	97 1/4	41	211.00
3097LL	2	1 1/8	30	97 1/4	49	246.00

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
"T" UPRIGHTS						
1240LT	2	1 1/8	12	40 1/4	16	110.00
1540LT	2	1 1/8	15	40 1/4	18	116.00
0964LT	2	1 1/8	9	64 1/4	21	130.00
1264LT	2	1 1/8	12	64 1/4	25	139.00
1564LT	2	1 1/8	15	64 1/4	28	149.00
1864LT	2	1 1/8	18	64 1/4	30	173.00
2464LT	2	1 1/8	24	64 1/4	36	192.00
3064LT	2	1 1/8	30	64 1/4	42	215.00
0976LT	2	1 1/8	9	76 1/4	22	144.00
1276LT	2	1 1/8	12	76 1/4	26	154.00
1576LT	2	1 1/8	15	76 1/4	28	167.00
1876LT	2	1 1/8	18	76 1/4	30	185.00
2476LT	2	1 1/8	24	76 1/4	36	211.00
3076LT	2	1 1/8	30	76 1/4	42	233.00
0985LT	2	1 1/8	9	85 1/4	27	152.00
1285LT	2	1 1/8	12	85 1/4	28	158.00
1585LT	2	1 1/8	15	85 1/4	31	171.00
1885LT	2	1 1/8	18	85 1/4	33	199.00
2485LT	2	1 1/8	24	85 1/4	46	226.00
3085LT	2	1 1/8	30	85 1/4	59	254.00
0988LT	2	1 1/8	9	88 1/4	28	152.00
1288LT	2	1 1/8	12	88 1/4	29	161.00
1588LT	2	1 1/8	15	88 1/4	32	172.00
1888LT	2	1 1/8	18	88 1/4	34	199.00
2488LT	2	1 1/8	24	88 1/4	42	228.00
3088LT	2	1 1/8	30	88 1/4	50	255.00
0997LT	2	1 1/8	9	97 1/4	30	162.00
1297LT	2	1 1/8	12	97 1/4	36	184.00
1597LT	2	1 1/8	15	97 1/4	40	199.00
1897LT	2	1 1/8	18	97 1/4	43	227.00
2497LT	2	1 1/8	24	97 1/4	51	254.00
3097LT	2	1 1/8	30	97 1/4	59	297.00

Custom heights available. Call factory for pricing.

► Items with this symbol are available to ship in 2 days.
Limited quantities and select colors (listed at right).



THIN PROFILE SHELVES — 22 GAUGE



CAT. NO.	LOAD CAP.*	Recommended Reinforcements	PCS/ CTN	W	D	H	WT.	PRICE
T2-2412	600	—	16	24	12	25/32	3.1	13.70
T2-2415	500	—	16	24	15	25/32	3.8	17.20
T2-2424	400	1	8	24	24	25/32	5.8	27.00
T2-2430	400	2	8	24	30	25/32	7.2	33.00
T2-3010	600	—	8	30	10	25/32	3.2	13.70
T2-3012	600	—	8	30	12	25/32	3.8	13.70
T2-3013	500	—	8	30	13	25/32	4.1	17.20
T2-3015	500	—	8	30	15	25/32	4.7	17.20
T2-3016	500	1	8	30	16	25/32	4.9	21.00
T2-3018	500	1	8	30	18	25/32	5.5	21.00
T2-3020	400	1	8	30	20	25/32	6.1	27.00
T2-3024	400	1	8	30	24	25/32	7.2	27.00
T2-3026	400	2	8	30	26	25/32	7.7	28.00
T2-3030	400	2	8	30	30	25/32	8.8	33.00
T2-3032	400	2	8	30	32	25/32	9.4	36.00
T2-3609	600	—	16	36	9	25/32	3.6	13.00
T2-3610	600	—	16	36	10	25/32	3.9	13.70
T2-3612	600	—	16	36	12	25/32	4.6	13.70
T2-3613	500	—	8	36	13	25/32	4.6	17.20
T2-3615	500	—	8	36	15	25/32	5.5	17.20
T2-3616	500	1	8	36	16	25/32	5.9	21.00
T2-3618	500	1	8	36	18	25/32	6.5	21.00
T2-3620	400	1	8	36	20	25/32	7.2	27.00
T2-3624	400	1	8	36	24	25/32	8.5	27.00
T2-3626	400	2	8	36	26	25/32	9.2	33.00
T2-3630	400	2	8	36	30	25/32	10.5	33.00
T2-3632	400	2	8	36	32	25/32	11.1	36.00

CAT. NO.	LOAD CAP.*	Recommended Reinforcements	PCS/ CTN	W	D	H	WT.	PRICE
T2-4209	600	—	16	42	9	25/32	4.1	14.90
T2-4210	600	—	12	42	10	25/32	4.5	17.30
T2-4212	600	—	12	42	12	25/32	5.3	17.30
T2-4213	500	—	8	42	13	25/32	5.7	21.00
T2-4215	500	—	8	42	15	25/32	6.4	21.00
T2-4216	500	1	8	42	16	25/32	6.8	25.00
T2-4218	500	1	8	42	18	25/32	7.6	25.00
T2-4220	500	1	8	42	20	25/32	8.3	31.00
T2-4224	500	1	8	42	24	25/32	9.8	31.00
T2-4226	450	2	8	42	26	25/32	10.6	36.00
T2-4230	450	2	8	42	30	25/32	12.0	37.00
T2-4232	450	2	8	42	32	25/32	12.8	40.00
T2-4809	550	—	16	48	9	25/32	4.7	17.10
T2-4810	550	—	12	48	10	25/32	5.1	19.30
T2-4812	550	—	12	48	12	25/32	6.0	19.30
T2-4813	400	—	8	48	13	25/32	6.4	24.00
T2-4815	400	—	8	48	15	25/32	7.3	24.00
T2-4816	350	1	8	48	16	25/32	7.7	27.00
T2-4818	350	1	8	48	18	25/32	8.6	27.00
T2-4820	450	2	8	48	20	25/32	9.5	34.00
T2-4824	450	2	8	48	24	25/32	11.2	34.00
T2-4826	400	2	8	48	26	25/32	12.1	42.00
T2-4830	400	2	6	48	30	25/32	13.8	42.00
T2-4832	400	2	6	48	32	25/32	14.7	47.00

For use with all uprights except double wall (library) uprights. Each shelf requires two shelf supports. Load capacities are based on using the recommended number of TR-dd reinforcements and on using TS-wvvg shelf supports, with weight evenly distributed. Shelves punched for optional center dividers (CD-ww). If using SHS supports, HR-dd reinforcements are required. *NOTE: Load capacities do not apply to mobile units.

THIN PROFILE SHELVES — 18 GAUGE



CAT. NO.	LOAD CAP.*	Recommended Reinforcements	PCS/ CTN	W	D	H	WT.	PRICE
T-3009	600	—	16	30	9	25/32	5.0	23.00
T-3012	600	—	16	30	12	25/32	5.4	26.00
T-3015	500	—	8	30	15	25/32	8.2	31.00
T-3018	500	1	8	30	18	25/32	9.8	34.00
T-3024	400	1	8	30	24	25/32	13.0	42.00
T-3030	500	2	8	30	30	25/32	16.8	56.00
T-3609	600	—	16	36	9	25/32	5.7	23.00
T-3612	600	—	16	36	12	25/32	7.3	26.00
T-3615	500	—	8	36	15	25/32	8.9	31.00
T-3618	500	1	8	36	18	25/32	10.5	34.00
T-3624	400	1	8	36	24	25/32	13.6	42.00
T-3630	500	2	8	36	30	25/32	18.0	56.00
T-4209	600	—	16	42	9	25/32	6.6	28.00
T-4212	600	—	12	42	12	25/32	8.4	31.00
T-4215	500	—	8	42	15	25/32	10.3	34.00
T-4218	550	1	8	42	18	25/32	12.1	40.00
T-4224	550	2	8	42	24	25/32	15.8	48.00
T-4230	550	2	8	42	30	25/32	19.4	59.00
T-4809	550	—	16	48	9	25/32	7.5	31.00
T-4812	550	—	12	48	12	25/32	9.6	37.00
T-4815	450	—	8	48	15	25/32	11.7	41.00
T-4818	450	1	8	48	18	25/32	13.8	43.00
T-4824	500	2	8	48	24	25/32	17.9	53.00
T-4830	500	2	6	48	30	25/32	22.1	67.00

For use with all uprights except double wall (library) uprights. Each shelf requires two shelf supports. Load capacities are based on using the recommended number of TR-dd reinforcements and on using TS-wvvg shelf supports, with weight evenly distributed. Shelves punched for optional center dividers (CD-ww). If using SHS supports, HR-dd reinforcements are required.

*NOTE: Load capacities do not apply to mobile units.

L&T COMPONENTS & ACCESSORIES

Thin Profile Slotted Shelves

► Items with this symbol are available to ship in 2 days.
Limited quantities and select colors (listed at right).

(SND) (LGY)

THIN PROFILE SLOTTED SHELVES — 22 GAUGE



SINGLE ENTRY



DOUBLE ENTRY

CAT. NO.	LOAD CAP.*	Recommended Reinforcements	PCS/ CTN	W	D	H	WT.	PRICE
SINGLE ENTRY								
TQ2-2412	600	—	16	24	12	25/32	3.8	14.70
TQ2-2415	500	—	8	24	15	25/32	3.8	17.20
TQ2-3010	600	—	16	30	10	25/32	3.2	14.70
TQ2-3012	600	—	16	30	12	25/32	3.8	14.70
TQ2-3013	500	—	8	30	13	25/32	4.1	17.20
TQ2-3015	500	—	8	30	15	25/32	4.7	17.20
TQ2-3016	500	1	8	30	16	25/32	4.9	21.00
TQ2-3609	600	—	16	36	9	25/32	3.6	13.40
TQ2-3610	600	—	16	36	10	25/32	3.9	14.70
TQ2-3612	600	—	16	36	12	25/32	4.6	14.70
TQ2-3613	500	—	8	36	13	25/32	4.9	17.20
TQ2-3615	500	—	8	36	15	25/32	5.5	17.20
TQ2-3616	500	1	8	36	16	25/32	5.9	21.00
TQ2-4209	600	—	16	42	9	25/32	4.1	15.30
TQ2-4210	600	—	16	42	10	25/32	4.5	17.30
TQ2-4212	600	—	12	42	12	25/32	5.3	17.30
TQ2-4213	500	—	8	42	13	25/32	5.7	21.00
TQ2-4215	500	—	8	42	15	25/32	6.4	21.00
TQ2-4216	500	1	12	42	16	25/32	6.8	25.00
TQ2-4809	550	—	16	48	9	25/32	4.7	16.10
TQ2-4810	550	—	16	48	10	25/32	5.1	19.20
TQ2-4812	550	—	12	48	12	25/32	6.0	19.20
TQ2-4813	400	—	8	48	13	25/32	6.4	23.00
TQ2-4815	400	—	8	48	15	25/32	7.3	23.00
TQ2-4816	350	1	8	48	16	25/32	7.7	27.00

CAT. NO.	LOAD CAP.*	Recommended Reinforcements	PCS/ CTN	W	D	H	WT.	PRICE
DOUBLE ENTRY								
TQD2-2424	400	1	8	24	24	25/32	5.8	27.00
TQD2-2430	400	2	8	24	30	25/32	7.2	33.00
TQD2-3020	400	1	8	30	20	25/32	7.2	27.00
TQD2-3024	400	1	8	30	24	25/32	7.2	27.00
TQD2-3026	400	2	8	30	26	25/32	7.7	33.00
TQD2-3030	400	2	8	30	30	25/32	8.7	33.00
TQD2-3032	400	2	8	30	32	25/32	9.4	36.00
TQD2-3618	500	1	8	36	18	25/32	6.5	22.00
TQD2-3620	400	1	8	36	20	25/32	7.2	27.00
TQD2-3624	400	1	8	36	24	25/32	8.5	27.00
TQD2-3626	400	2	8	36	26	25/32	9.2	33.00
TQD2-3630	400	2	8	36	30	25/32	10.5	33.00
TQD2-3632	400	2	8	36	32	25/32	11.1	36.00
TQD2-4218	500	1	8	42	18	25/32	7.6	25.00
TQD2-4220	500	2	8	42	20	25/32	8.4	30.00
TQD2-4224	500	2	8	42	24	25/32	9.9	30.00
TQD2-4226	450	2	8	42	26	25/32	10.6	37.00
TQD2-4230	450	2	8	42	30	25/32	12.1	37.00
TQD2-4232	450	2	8	42	32	25/32	12.9	39.00
TQD2-4818	350	1	8	48	18	25/32	8.6	28.00
TQD2-4820	450	2	8	48	20	25/32	9.5	34.00
TQD2-4824	450	2	8	48	24	25/32	11.2	34.00
TQD2-4826	400	2	8	48	26	25/32	12.1	43.00
TQD2-4830	400	2	8	48	30	25/32	13.8	43.00
TQD2-4832	400	2	8	48	32	25/32	14.7	47.00

For use with all uprights except double wall (library) uprights. Each shelf requires two shelf supports. Load capacities are based on using the recommended number of TR-dd reinforcements and using TS-wwgg shelf supports, with weight evenly distributed. If using SHS supports, HR-dd reinforcements are required. Slotted on 2" centers for optional adjustable dividers. *NOTE: Load capacities do not apply to mobile units.

THIN PROFILE SLOTTED SHELVES — 18 GAUGE



SINGLE ENTRY



DOUBLE ENTRY

CAT. NO.	LOAD CAP.*	Recommended Reinforcements	PCS/ CTN	W	D	H	WT.	PRICE
SINGLE ENTRY								
TQ-3009	600	—	16	30	9	25/32	4.7	23.00
TQ-3012	600	—	16	30	12	25/32	6.1	25.00
TQ-3015	500	—	8	30	15	25/32	7.5	30.00
TQ-3609	600	—	16	36	9	25/32	5.7	23.00
TQ-3612	600	—	16	36	12	25/32	7.3	25.00
TQ-3615	500	—	8	36	15	25/32	8.9	30.00
TQ-4209	600	—	16	42	9	25/32	6.6	27.00
TQ-4212	600	—	12	42	12	25/32	8.4	30.00
TQ-4215	500	—	8	42	15	25/32	10.3	37.00
TQ-4809	550	—	16	48	9	25/32	7.5	31.00
TQ-4812	550	—	12	48	12	25/32	9.6	34.00
TQ-4815	450	—	8	48	15	25/32	11.7	38.00

CAT. NO.	LOAD CAP.*	Recommended Reinforcements	PCS/ CTN	W	D	H	WT.	PRICE
DOUBLE ENTRY								
TQD-3018	500	1	8	30	18	25/32	8.8	39.00
TQD-3024	400	1	8	30	24	25/32	13.6	43.00
TQD-3030	500	2	8	30	30	25/32	16.8	52.00
TQD-3618	500	1	8	36	18	25/32	10.5	39.00
TQD-3624	400	1	8	36	24	25/32	13.6	43.00
TQD-3630	500	2	8	36	30	25/32	16.8	52.00
TQD-4218	550	1	8	42	18	25/32	12.1	44.00
TQD-4224	550	2	8	42	24	25/32	15.8	48.00
TQD-4230	550	2	8	42	30	25/32	19.4	60.00
TQD-4818	450	1	8	48	18	25/32	13.8	48.00
TQD-4824	500	2	8	48	24	25/32	17.9	55.00
TQD-4830	500	2	8	48	30	25/32	22.1	68.00

For use with all uprights except double wall (library) uprights. Each shelf requires two shelf supports. Load capacities are based on using the recommended number of TR-dd reinforcements and using TS-wwgg shelf supports, with weight evenly distributed. If using SHS supports, HR-dd reinforcements are required. Slotted on 2" centers for optional adjustable dividers. *NOTE: Load capacities do not apply to mobile units.

**LIBRARY SINGLE ENTRY
SLOTTED SHELVES**



For use with double wall (library) uprights only. Each shelf requires two shelf supports. Load capacities are based on using the recommended number of TR-dd reinforcements and on using TS-wwgg shelf supports, with weight evenly distributed. If using SHS supports, HR-dd reinforcements are required. 18 gauge shelves also available; Call factory for prices, weights and load capacities.
*NOTE: Load capacities do not apply to mobile units.

CAT. NO.	LOAD CAP.*	Recommended Reinforcements	PCS/ CTN	W	D	H	WT.	PRICE
LQ2-3009	600	—	16	30	9	25/32	2.8	12.10
LQ2-3012	600	—	16	30	12	25/32	3.6	15.00
LQ2-3609	600	—	16	36	9	25/32	3.4	12.10
LQ2-3612	600	—	16	36	12	25/32	4.3	15.00
LQ2-3615	500	—	8	36	15	25/32	5.2	22.00
LQ2-4209	600	—	16	42	9	25/32	3.9	15.00
LQ2-4212	600	—	12	42	12	25/32	5.0	18.10
LQ2-4215	500	—	8	42	15	25/32	6.1	23.00
LQ2-4809	550	—	16	48	9	25/32	4.5	16.20
LQ2-4812	550	—	12	48	12	25/32	5.8	20.00
LQ2-4815	450	—	8	48	15	25/32	7.0	25.00

**LIBRARY DOUBLE ENTRY
SLOTTED SHELVES**



For use with double wall (library) uprights only. Each shelf requires two shelf supports. Load capacities are based on using the recommended number of TR-dd reinforcements and on using TS-wwgg shelf supports, with weight evenly distributed. If using SHS supports, HR-dd reinforcements are required. 18 gauge shelves also available; Call factory for prices, weights and load capacities.
*NOTE: Load capacities do not apply to mobile units.

CAT. NO.	LOAD CAP.*	Recommended Reinforcements	PCS/ CTN	W	D	H	WT.	PRICE
LQD2-3018	500	1	8	30	18	25/32	5.1	23.00
LQD2-3024	400	1	8	30	24	25/32	6.8	27.00
LQD2-3618	500	1	8	36	18	25/32	6.2	23.00
LQD2-3624	400	1	8	36	24	25/32	8.1	27.00
LQD2-3630	400	2	8	36	30	25/32	9.9	36.00
LQD2-4218	500	1	8	42	18	25/32	7.3	26.00
LQD2-4224	500	2	8	42	24	25/32	9.4	32.00
LQD2-4230	450	2	8	42	30	25/32	11.6	41.00
LQD2-4818	350	1	8	48	18	25/32	8.2	28.00
LQD2-4824	450	2	8	48	24	25/32	10.7	38.00
LQD2-4830	400	2	8	48	30	25/32	13.2	43.00

LIBRARY SHELVES



For use with double wall (library) uprights only. Each shelf requires two shelf supports. Load capacities are based on using the recommended number of TR-dd reinforcements and on using TS-wwgg shelf supports, with weight evenly distributed. If using SHS supports, HR-dd reinforcements are required. 18 gauge shelves also available; Call factory for prices, weights and load capacities.
*NOTE: Load capacities do not apply to mobile units.

CAT. NO.	LOAD CAP.*	Recommended Reinforcements	PCS/ CTN	W	D	H	WT.	PRICE
L2-3009	600	—	16	30	9	25/32	2.8	12.80
L2-3012	600	—	16	30	12	25/32	3.6	14.80
L2-3018	500	1	8	30	18	25/32	5.2	22.00
L2-3024	400	1	8	30	24	25/32	6.7	27.00
L2-3609	600	—	16	36	9	25/32	3.4	12.80
L2-3612	600	—	16	36	12	25/32	4.3	14.80
L2-3615	500	—	8	36	15	25/32	5.2	22.00
L2-3618	500	1	8	36	18	25/32	6.2	22.00
L2-3624	400	1	16	36	24	25/32	8.1	27.00
L2-3630	400	2	8	36	30	25/32	9.9	34.00
L2-4209	600	—	16	42	9	25/32	3.9	15.90
L2-4212	600	—	12	42	12	25/32	5.0	18.60
L2-4215	500	—	8	42	15	25/32	6.1	22.00
L2-4218	500	1	8	42	18	25/32	7.2	26.00
L2-4224	500	2	8	42	24	25/32	9.4	32.00
L2-4230	450	2	8	42	30	25/32	11.6	39.00
L2-4809	550	—	16	48	9	25/32	4.5	16.40
L2-4812	550	—	12	48	12	25/32	5.8	20.00
L2-4815	450	—	8	48	15	25/32	7.0	24.00
L2-4818	350	1	8	48	18	25/32	8.2	28.00
L2-4824	450	2	8	48	24	25/32	10.7	36.00
L2-4830	400	2	8	48	30	25/32	13.2	44.00

L&T COMPONENTS & ACCESSORIES

Heavy, X-Ray and Particleboard Shelves

HEAVY SHELVES



HEAVY SHELF

CAT. NO.	LOAD CAP.*	Recommended Reinforcements	PCS/CTN	W	D	H	WT.	PRICE
HEAVY SHELF								
H-3612	1,100	—	12	36	12	17/32	7.9	27.00
H-3615	1,000	—	6	36	15	17/32	9.5	31.00
H-3618	950	1	6	36	18	17/32	11.1	35.00
H-3624	900	1	6	36	24	17/32	14.4	43.00
H-3630	1,000	2	4	36	30	17/32	17.6	54.00
H-3636	900	2	4	36	36	17/32	20.8	64.00
H-4212	1,000	—	8	42	12	17/32	9.1	36.00
H-4215	900	—	6	42	15	17/32	11.0	37.00
H-4218	800	1	6	42	18	17/32	12.8	41.00
H-4224	900	2	6	42	24	17/32	16.6	51.00
H-4230	900	2	4	42	30	17/32	20.3	63.00
H-4236	800	2	4	42	36	17/32	24.0	74.00
H-4812	900	—	8	48	12	17/32	10.3	38.00
H-4815	750	—	6	48	15	17/32	12.5	41.00
H-4818	700	1	6	48	18	17/32	14.6	45.00
H-4824	800	2	6	48	24	17/32	18.8	57.00
H-4830	800	2	4	48	30	17/32	23.0	69.00
H-4836	700	2	4	48	36	17/32	27.3	82.00

May not be used with double wall (library) uprights. Each shelf requires two shelf supports. Load capacities are based on using the recommended number of HR-dd reinforcements and using HS-xx14 shelf supports, with weight evenly distributed.

*NOTE: Load capacities do not apply to mobile units.



HEAVY PUNCHED SHELF

CAT. NO.	LOAD CAP.*	Recommended Reinforcements	PCS/CTN	W	D	H	WT.	PRICE
HEAVY PUNCHED SHELF								
Single Entry								
HP-3612	1,100	—	12	36	12	17/32	7.9	30.00
HP-3615	1,000	—	6	36	15	17/32	9.5	35.00
HP-3618	950	1	6	36	18	17/32	11.1	37.00
HP-4212	1,000	—	8	42	12	17/32	9.1	34.00
HP-4215	900	—	6	42	15	17/32	11.0	39.00
HP-4218	800	1	6	42	18	17/32	12.8	44.00
HP-4812	900	—	8	48	12	17/32	10.3	39.00
HP-4815	750	—	6	48	15	17/32	12.5	40.00
HP-4818	700	1	6	48	18	17/32	14.6	46.00
Double Entry								
HPD-3624	900	1	6	36	24	17/32	14.4	50.00
HPD-3630	1,000	2	4	36	30	17/32	17.6	59.00
HPD-3636	900	2	4	36	36	17/32	20.9	68.00
HPD-4224	900	2	6	42	24	17/32	16.6	56.00
HPD-4230	900	2	4	42	30	17/32	20.3	66.00
HPD-4236	800	2	4	42	36	17/32	24.1	77.00
HPD-4824	800	2	4	48	24	17/32	18.8	63.00
HPD-4830	800	2	4	48	30	17/32	23.1	75.00
HPD-4836	700	2	4	48	36	17/32	27.3	87.00

May not be used with double wall (library) uprights. For use with bin dividers (LTBD-ddhh). Each shelf requires two shelf supports. Load capacities are based on using the recommended number of HR-dd reinforcements and using HS-ww14 shelf supports, with weight evenly distributed.

*NOTE: Load capacities do not apply to mobile units.

X-RAY SLOTTED SHELVES




May not be used with double wall (library) uprights. Each shelf requires two shelf supports. Load capacities are based on using the recommended number of HR-dd reinforcements and using HS-ww14 shelf supports, with weight evenly distributed.

*NOTE: Load capacities do not apply to mobile units.

CAT. NO.	LOAD CAP.*	Recommended Reinforcements	PCS/CTN	W	D	H	WT.	PRICE
Single Entry								
HX-3018	950	1	6	30	18	17/32	9.4	35.00
HX-3618	950	1	6	36	18	17/32	11.1	35.00
HX-4218	800	1	6	42	18	17/32	12.9	41.00
HX-4818	700	1	6	48	18	17/32	14.6	46.00
Double Entry								
HXD-3036	900	2	6	30	36	17/32	17.6	65.00
HXD-3636	900	2	6	36	36	17/32	20.9	65.00
HXD-4236	800	2	6	42	36	17/32	24.1	72.00
HXD-4836	700	2	6	48	36	17/32	27.3	82.00

PARTICLEBOARD SHELVES



For oakgrain finish, change "PBL" to PBLs" and add 50% to shelf price. May not be used with double wall (library) uprights. Each shelf requires two HS or PBS shelf supports. Load capacities are based on using HS-ww14 shelf supports and on weight being evenly distributed.

*NOTE: Load capacities do not apply to mobile units.

CAT. NO.	W	D	H	WT.	PRICE
PBL-3612	35 ⁹ / ₁₆	10 ⁷ / ₈	5/8	7.7	6.50
PBL-3615	35 ⁹ / ₁₆	13 ⁷ / ₈	5/8	9.6	7.20
PBL-3618	35 ⁹ / ₁₆	16 ⁷ / ₈	5/8	11.4	9.30
PBL-3624	35 ⁹ / ₁₆	22 ⁷ / ₈	5/8	15.1	13.10
PBL-3630	35 ⁹ / ₁₆	28 ⁷ / ₈	5/8	19.2	15.60
PBL-3636	35 ⁹ / ₁₆	34 ⁷ / ₈	5/8	23.0	18.50
PBL-4212	41 ⁹ / ₁₆	10 ⁷ / ₈	5/8	8.9	8.30
PBL-4215	41 ⁹ / ₁₆	13 ⁷ / ₈	5/8	11.2	8.90
PBL-4218	41 ⁹ / ₁₆	16 ⁷ / ₈	5/8	13.4	11.80
PBL-4224	41 ⁹ / ₁₆	22 ⁷ / ₈	5/8	17.8	15.50
PBL-4230	41 ⁹ / ₁₆	28 ⁷ / ₈	5/8	23.0	17.10
PBL-4236	41 ⁹ / ₁₆	34 ⁷ / ₈	5/8	27.0	22.00
PBL-4812	47 ⁹ / ₁₆	10 ⁷ / ₈	5/8	10.2	8.80
PBL-4815	47 ⁹ / ₁₆	13 ⁷ / ₈	5/8	12.7	10.90
PBL-4818	47 ⁹ / ₁₆	16 ⁷ / ₈	5/8	15.2	12.40
PBL-4824	47 ⁹ / ₁₆	22 ⁷ / ₈	5/8	20.0	15.80
PBL-4830	47 ⁹ / ₁₆	28 ⁷ / ₈	5/8	25.0	20.00
PBL-4836	47 ⁹ / ₁₆	34 ⁷ / ₈	5/8	31.0	24.00

► Items with this symbol are available to ship in 2 days.
Limited quantities and select colors (listed at right).

(SND) (LGY)

THIN SHELF SUPPORTS



CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
14 GAUGE						
TS-2414	30	24	—	3/4	1.0	5.00
TS-3014 ▶	30	30	—	3/4	1.3	5.00
TS-3614 ▶	30	36	—	3/4	1.6	5.00

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
11 GAUGE						
TS-3611	30	36	—	3/4	2.5	7.50
TS-4211 ▶	30	42	—	3/4	2.9	8.60
TS-4811 ▶	30	48	—	3/4	3.3	9.50

THIN SHELF REINFORCEMENTS



CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
TR-09	144	15/16	9	5/8	.3	1.90
TR-10	144	15/16	10	5/8	.4	1.70
TR-12	144	15/16	12	5/8	.5	1.90
TR-13	144	15/16	13	5/8	.5	2.30
TR-15	144	15/16	15	5/8	.6	2.30
TR-16	144	15/16	16	5/8	.7	2.50

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
TR-18	72	15/16	18	5/8	.7	2.50
TR-20	72	15/16	20	5/8	1.0	3.60
TR-24 ▶	72	15/16	24	5/8	1.0	3.60
TR-26	72	15/16	26	5/8	1.1	4.50
TR-30 ▶	72	15/16	30	5/8	1.3	4.50
TR-32	72	15/16	32	5/8	1.3	4.50

THIN SHELF SUPPORTS (for single entry use only)



An economical option for use with single-entry units only. TSC-ww14 shelf supports will not accept shelf reinforcements, and thus should not be used on units with depths greater than 15". Two supports required per shelf.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
14 GAUGE						
TSC-3614	30	36	—	3/4	1.5	5.60
TSC-4214	30	42	—	3/4	1.9	6.50
TSC-4814	30	48	—	3/4	2.2	7.50

HEAVY SHELF SUPPORTS



CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
14 GAUGE						
HS-3014	30	30	—	1 1/8	1.3	5.30
HS-3614 ▶	30	36	—	1 1/8	1.8	5.30
HS-4214	30	42	—	1 1/8	2.0	6.20
HS-4814 ▶	30	48	—	1 1/8	2.2	6.90

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
11 GAUGE						
HS-3611	30	36	—	1 1/8	2.6	8.90
HS-4211	30	42	—	1 1/8	3.1	9.20
HS-4811	30	48	—	1 1/8	3.6	10.30

HEAVY SHELF REINFORCEMENTS



CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
HR-12	96	15/16	12	5/8	.7	2.60
HR-13	96	15/16	13	5/8	.8	3.20
HR-15	96	15/16	15	5/8	.9	3.20
HR-16	96	15/16	16	5/8	1.1	3.70
HR-18	48	15/16	18	5/8	1.1	4.90

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
HR-20	48	15/16	20	5/8	1.5	4.90
HR-24 ▶	48	15/16	24	5/8	1.5	5.90
HR-26	48	15/16	26	5/8	1.6	5.90
HR-30 ▶	48	15/16	30	5/8	1.9	7.20
HR-32	48	15/16	32	5/8	2.3	7.20
HR-36	36	15/16	36	5/8	2.3	7.50

SINGLE RIVET BOTTOM SHELF SUPPORTS



Two supports required per shelf. Use HR-dd reinforcements for 18" & deeper shelves. Use only with bottom shelf, to permit shelf to fit flush with floor or for attachment to mobile bases.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
SHS-2414	30	24	—	1 3/8	2.0	7.50
SHS-3014 ▶	30	30	—	1 3/8	2.0	7.50
SHS-3614 ▶	30	36	—	1 3/8	2.0	7.50
SHS-4214 ▶	30	42	—	1 3/8	2.4	7.70
SHS-4814 ▶	30	48	—	1 3/8	2.7	8.60

PARTICLEBOARD SHELF SUPPORTS



3/4" profile gives more clearance than HS supports. Two supports required per shelf.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
PBS-3611	30	36	—	3/4	2.4	11.70
PBS-4211	30	42	—	3/4	2.9	12.90
PBS-4811	30	48	—	3/4	3.4	13.40

HANG-ROD COMPONENTS



Hang rod assemblies require two hanging brackets, one hang bar and four galvanized clips (each sold separately, below) to attach. Provides one hanging position.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
HANGING BRACKETS						
HRSB-12	1	1	12	2 1/8	1.2	15.40
HRSB-15	1	1	15	2 1/8	1.5	16.40
HRSB-18	1	1	18	2 1/8	1.9	12.40
HRSB-24	1	1	24	2 1/8	2.5	14.00
HRSB-30	1	1	30	2 1/8	3.2	19.10

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
HANG BAR						
LTTB-30	1	30	1/2	1 1/2	2.1	14.40
LTTB-36	1	36	1/2	1 1/2	2.1	15.60
LTTB-42	1	42	1/2	1 1/2	2.4	16.80
LTTB-48	1	48	1/2	1 1/2	2.7	18.80
HANG BAR CLIPS						
MC-1P	1	Painted			.1	.32

L&T COMPONENTS & ACCESSORIES

Backs, Reference Shelf, Periodical Shelf

► Items with this symbol are available to ship in 2 days. Limited quantities and select colors (listed at right).

(SND) (LGY)

CAT. NO.	W	D	H	WT.	PRICE
30" WIDE					
B-3040	30	—	40 ¹ / ₄	7.6	48.00*
B-3064	30	—	64 ¹ / ₄	12.0	68.00*
B-3076	30	—	76 ¹ / ₄	14.0	78.00*
B-3085	30	—	85 ¹ / ₄	16.0	86.00¥
B-3088	30	—	88 ¹ / ₄	16.0	88.00¥
36" WIDE					
B-3640	36	—	40 ¹ / ₄	15.0	48.00*
B-3664	36	—	64 ¹ / ₄	14.0	68.00*
B-3676	36	—	76 ¹ / ₄	23.0	78.00*
B-3685	36	—	85 ¹ / ₄	28.0	86.00¥
B-3688	36	—	88 ¹ / ₄	26.0	88.00¥

CAT. NO.	W	D	H	WT.	PRICE
42" WIDE					
B-4240	42	—	40 ¹ / ₄	11.0	55.00*
B-4264	42	—	64 ¹ / ₄	17.0	78.00¥
B-4276	42	—	76 ¹ / ₄	32.0	89.00¥
B-4285	42	—	85 ¹ / ₄	22.0	99.00¥
B-4288	42	—	88 ¹ / ₄	36.0	102.00¥
48" WIDE					
B-4840	48	—	40 ¹ / ₄	12.0	61.00*
B-4864	48	—	64 ¹ / ₄	19.0	88.00¥
B-4876	48	—	76 ¹ / ₄	37.0	101.00¥
B-4885	48	—	85 ¹ / ₄	25.0	112.00¥
B-4888	48	—	88 ¹ / ₄	42.0	116.00¥

*Add \$30.00 carton charge per carton. ¥Add \$60.00 crate charge per crate.

BACKS - ONE PIECE

Packed up to 5 pieces per carton/crate. Top and bottom stiffeners included.



CAT. NO.	W	D	H	WT.	PRICE
30" WIDE					
LTBP-3064-2	30	—	64 ³ / ₁₆	13.0	92.00
LTBP-3076-2	30	—	76 ³ / ₁₆	15.4	101.00
LTBP-3085-2	30	—	85 ³ / ₁₆	17.2	110.00
LTBP-3088-2	30	—	88 ³ / ₁₆	17.8	113.00
LTBP-3097-2	30	—	97 ³ / ₁₆	19.9	120.00
LTBP-30121-2	30	—	121 ³ / ₁₆	25.0	137.00
36" WIDE					
LTBP-3664-2	36	—	64 ³ / ₁₆	15.6	105.00
LTBP-3676-2	36	—	76 ³ / ₁₆	18.6	110.00
LTBP-3685-2	36	—	85 ³ / ₁₆	21.0	119.00
LTBP-3688-2	36	—	88 ³ / ₁₆	21.0	121.00
LTBP-3697-2	36	—	97 ³ / ₁₆	24.0	124.00
LTBP-36121-2	36	—	121 ³ / ₁₆	30.0	156.00

CAT. NO.	W	D	H	WT.	PRICE
42" WIDE					
LTBP-4264-2	42	—	64 ³ / ₁₆	18.3	116.00
LTBP-4276-2	42	—	76 ³ / ₁₆	22.0	131.00
LTBP-4285-2	42	—	85 ³ / ₁₆	24.0	137.00
LTBP-4288-2	42	—	88 ³ / ₁₆	25.0	141.00
LTBP-4297-2	42	—	97 ³ / ₁₆	28.0	154.00
LTBP-42121-2	42	—	121 ³ / ₁₆	35.0	173.00
48" WIDE					
LTBP-4864-2	48	—	64 ³ / ₁₆	21.0	126.00
LTBP-4876-2	48	—	76 ³ / ₁₆	25.0	140.00
LTBP-4885-2	48	—	85 ³ / ₁₆	28.0	150.00
LTBP-4888-2	48	—	88 ³ / ₁₆	29.0	155.00
LTBP-4897-2	48	—	97 ³ / ₁₆	32.0	168.00
LTBP-48121-2	48	—	121 ³ / ₁₆	40.0	193.00

Packed 3 pieces per carton. Top and bottom stiffeners included.



BACKS - TWO PIECES

CAT. NO.	W	D	H	WT.	PRICE
30" WIDE					
CFB-3076	30	—	76 ¹ / ₄	25.0	95.00
CFB-3085	30	—	85 ¹ / ₄	27.0	105.00
CFB-3088	30	—	88 ¹ / ₄	28.0	109.00
CFB-3097	30	—	97 ¹ / ₄	36.0	119.00
36" WIDE					
CFB-3676	36	—	76 ¹ / ₄	29.0	95.00
CFB-3685	36	—	85 ¹ / ₄	32.0	105.00
CFB-3688	36	—	88 ¹ / ₄	33.0	120.00
CFB-3697	36	—	97 ¹ / ₄	36.0	119.00

CAT. NO.	W	D	H	WT.	PRICE
42" WIDE					
CFB-4276	42	—	76 ¹ / ₄	33.0	110.00
CFB-4285	42	—	85 ¹ / ₄	37.0	122.00
CFB-4288	42	—	88 ¹ / ₄	39.0	126.00
CFB-4297	42	—	97 ¹ / ₄	42.0	139.00
48" WIDE					
CFB-4876	48	—	76 ¹ / ₄	38.0	125.00
CFB-4885	48	—	85 ¹ / ₄	43.0	139.00
CFB-4888	48	—	88 ¹ / ₄	44.0	144.00
CFB-4897	48	—	97 ¹ / ₄	49.0	158.00

Packed as ordered. Helps reinforce shelving units in seismic zones.



SEISMIC BACKS

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
Used on 36", 42" or 48" wide units						
RSMB-12	2	30	12	5/8	9.3	55.00
RSMB-15	2	30	15	5/8	9.7	56.00
RSMB-18	2	30	18	5/8	10.0	57.00
RSMB-24	2	30	24	5/8	10.8	60.00
RSMB-30	2	30	30	5/8	11.6	63.00
RSMB-36	2	30	36	5/8	12.4	66.00
30" WIDE EXTRA SHELF (FOR DOUBLE ENTRY UNITS)						
RS-3012	2	30	11 ⁷ / ₈	5/8	7.2	46.00

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
Used on 30" wide units						
RSMB-12-24	2	24	12	5/8	7.9	64.00
RSMB-15-24	2	24	15	5/8	8.3	65.00
RSMB-18-24	2	24	18	5/8	8.6	66.00
RSMB-24-24	2	24	24	5/8	9.4	69.00
RSMB-30-24	2	24	30	5/8	10.2	72.00
RSMB-36-24	2	24	36	5/8	11.0	75.00
24" WIDE EXTRA SHELF (FOR DOUBLE ENTRY UNITS)						
RS-2412	2	24	11 ⁷ / ₈	5/8	5.8	63.00

Shelf is 11⁷/₈" deep. Reduces filing space by 1". Kit comes with mounting brackets and one shelf. Brackets and shelves packed separately. For double entry units, order extra shelf.



REFERENCE SHELF KITS

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
LTPD-30	8	30	14	1 ⁵ / ₁₆	8.7	50.00
LTPD-36	8	36	14	1 ⁵ / ₁₆	10.1	50.00
LTPD-42	8	42	14	1 ⁵ / ₁₆	11.7	56.00
LTPD-48	8	48	14	1 ⁵ / ₁₆	13.2	60.00


For quantities less than 25 pieces, add \$300/list setup charge.

Used for displaying media such as magazines, journals, etc.



PERIODICAL SHELVES

► Items with this symbol are available to ship in 2 days.
Limited quantities and select colors (listed at right).



LOCKING DOOR KITS
(for HIPAA compliance)



SD-4276-1
Sliding Door for Single Units —
Extends 4 1/8" from front of unit: door frame causes no loss of filing space.



SD-3688-2
Sliding Door for Double Units —
Extends 4 1/8" from front of unit: door frame causes no loss of filing space.



LTHD-4276RH
Hinged Door for Single Units —
Extends 1 3/4" from front of unit: door frame uses 1/2" vertical filing space.

All doors come standard with lock, in compliance with Health Insurance Portability and Accountability Act of 1996 (HIPAA) regulations.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
SLIDING DOOR KIT — Fits Single Units						
SD-3676-1	1	36	4 1/8	76	103	978.00
SD-4276-1	1	42	4 1/8	76	121	1,061.00
SD-4876-1	1	48	4 1/8	76	138	1,031.00
SD-3688-1	1	36	4 1/8	88	120	1,004.00
SD-4288-1	1	42	4 1/8	88	139	1,086.00
SD-4888-1	1	48	4 1/8	88	160	971.00
SLIDING DOOR KIT — Fits Two Adjacent Units						
SD-3664-2	—	72	4 1/8	64	119	1,321.00
SD-3676-2	—	72	4 1/8	76	138	1,235.00
SD-3688-2	—	72	4 1/8	88	159	1,303.00
HINGED DOOR KIT — Fits Single Units						
LTHD-3640RH	—	36	1 3/4	40	30	503.00
LTHD-3676RH	—	36	1 3/4	76	56	414.00
LTHD-4276RH	—	42	1 3/4	76	64	468.00
LTHD-4876RH	—	48	1 3/4	76	81	582.00
LTHD-3688RH	—	36	1 3/4	88	63	431.00
LTHD-4288RH	—	42	1 3/4	88	74	580.00
LTHD-4888RH	—	48	1 3/4	88	84	639.00
EXTENDED HINGED DOOR KIT* — Fits Single Units**						
LTHD-3640RHD	—	36	2 3/4	40	33	589.00
LTHD-3676RHD	—	36	2 3/4	76	60	461.00
LTHD-4276RHD	—	42	2 3/4	76	68	565.00
LTHD-4876RHD	—	48	2 3/4	76	86	638.00
LTHD-3688RHD	—	36	2 3/4	88	68	460.00
LTHD-4288RHD	—	42	2 3/4	88	79	607.00
LTHD-4888RHD	—	48	2 3/4	88	89	664.00

*Provides additional clearance for filing with end tab file folders.

**Extends 2 3/4" from front of unit:

Door frame uses 1/2" vertical filing space.


ADJUSTABLE, COMPRESSION AND WIRE DIVIDERS



FD-1108



PD-1108



AD-0907

*Use FD-0808 with TQ2-xx09, TQD2-xx18, LQ2-XX09 & LQD2-XX18.

**Includes Tennsco imprint.

†Use with CBS-ww or CCS-ww



TWD-1

Packed as ordered.



WDBS-42

Use with TWD-1 (Sliding Wire Dividers)
Can only be used with single entry units.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
ADJUSTABLE FILE DIVIDER (STEEL)						
FD-0808*	40	—	8	8	.5	3.00
FD-1108**	50	—	11	8	.8	2.50
FDP-1108	50	—	11	8	.8	2.50
ADJUSTABLE X-RAY FILE DIVIDER (STEEL)						
FD-1612	20	—	15 7/8	12	2.2	8.30
ADJUSTABLE FILE DIVIDER (PLASTIC)						
PD-1108	25	—	11	8	.4	2.40
ADJUSTABLE DIVIDER (COMPRESSION)†						
AD-0907	50	—	9	7	.6	4.20
AD-1107	50	—	11	7	1.0	5.90
SLIDING WIRE DIVIDER						
TWD-1	—	—	8	6	.5	12.10
WIRE DIVIDER BACKSTOPS						
WDBS-36	40	36	—	2	1.4	7.20
WDBS-42	40	42	—	2	1.6	8.00
WDBS-48	40	48	—	2	1.8	8.90

L&T COMPONENTS & ACCESSORIES

Back Stops, Center Stops, Nylon Feet

► Items with this symbol are available to ship in 2 days.
Limited quantities and select colors (listed at right).

(SND) (LGY)

BIN DIVIDERS, BACK STOPS AND FRONTS

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
BIN DIVIDER*						
LTBD-1206	30	—	12	6	.7	4.50
LTBD-1209	30	—	12	9	1.1	5.60
LTBD-1212	30	—	12	12	1.4	8.40
LTBD-1215	30	—	12	15	1.7	8.00
LTBD-1506	30	—	15	6	.9	5.50
LTBD-1509	30	—	15	9	1.3	6.90
LTBD-1512	30	—	15	12	1.7	8.30
LTBD-1515	30	—	15	15	2.1	9.50
LTBD-1806	30	—	18	6	1.1	6.80
LTBD-1809	30	—	18	9	1.6	7.10
LTBD-1812	30	—	18	12	2.0	9.30
LTBD-1815	30	—	18	15	2.5	10.30
X-RAY BIN DIVIDER*						
LTBD-1516.5	30	—	15	16½	2.3	10.10
LTBD-1518	30	—	15	18	2.5	10.90
LTBD-1816.5	30	—	18	16½	2.7	16.30
LTBD-1818	30	—	18	18	3.0	18.10

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
BIN DIVIDER BACK STOP**						
BDBS-30	30	30	—	3	1.7	15.00
BDBS-36	30	36	—	3	1.7	15.00
BDBS-42	30	42	—	3	2.0	16.70
BDBS-48	30	48	—	3	2.3	18.60
BIN FRONT						
BF-30	20	30	—	3	1.2	8.50
BF-36	30	36	—	3	1.4	8.50
BF-42	30	42	—	3	1.7	9.40
BF-48	30	48	—	3	1.9	10.10


*Use with HP-wwdd or HPD-wwdd shelves only.
**Use with bin dividers on single entry units only.



BDBS-30




LTBD-1215



BF-30

SLOTTED AND ADJUSTABLE BACK STOPS

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
SLOTTED BACK STOPS						
BS-30 ►	40	30	—	2	1.2	5.30
BS-36 ►	40	36	—	2	1.3	5.30
BS-42 ►	40	42	—	2	1.6	6.00
BS-48 ►	40	48	—	2	1.8	6.70
ADJUSTABLE BACK STOPS (COMPRESSION)						
CBS-36	18	36	¾	2	1.6	17.50
CBS-42	18	42	¾	2	1.9	18.70
CBS-48	18	48	¾	2	2.1	19.60



SLOTTED BACK STOPS
Use with FD-0808, FD-1108,
FDP-1108, FD-1612, PD-1108



ADJUSTABLE BACK STOPS (COMPRESSION)
Use with AD-0907 OR AD-1107

SLOTTED CENTER STOPS

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
SLOTTED CENTER STOP*						
CS-30 ►	20	30	—	4	1.9	7.30
CS-36 ►	20	36	—	4	2.2	7.30
CS-42 ►	20	42	—	4	2.6	8.50
CS-48 ►	20	48	—	4	3.0	9.60

* Use with double entry thin slotted shelves only.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
X-RAY SLOTTED CENTER STOP‡						
XCS-30	20	30	—	7	3.2	17.10
XCS-36	20	36	—	7	3.8	17.10
XCS-42	20	42	—	7	4.5	19.70
XCS-48	20	48	—	7	5.1	22.00

‡ Use with double entry slotted X-ray shelves only.



ADJUSTABLE CENTER STOPS (COMPRESSION)

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
CCS-36	20	36	¾	4	2.7	22.00
CCS-42	20	42	¾	4	3.1	25.00
CCS-48	20	48	¾	4	3.6	26.00

Use with AD-0907 or
AD-1107 (Adjustable Dividers)



UNSLOTTED CENTER DIVIDERS

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
CD-30	50	30	¾	2	1.4	8.90
CD-36	50	36	¾	2	1.4	8.90
CD-42	50	42	¾	2	1.6	9.70
CD-48	50	48	¾	2	1.8	10.60

Use with unslotted shelves to divide shelves
into equal halves. Not available for
use on 9" deep shelves.



NYLON FEET

CAT. NO.	DESCRIPTION	PRICE
LTNF-L	Fits "L" Uprights	1.20
LTNF-T	Fits "T" Uprights	1.20

Black nylon foot shaped to fit each type of
L&T upright. May also be used as an upright
top cap. Two required per upright.



Foot For "T" Uprights




Foot For "L" Uprights

► Items with this symbol are available to ship in 2 days.
Limited quantities and select colors (listed at right).



SEISMIC FULL HEIGHT CENTER STOPS



Used to help reinforce shelving units in seismic zones.

For quantities less than 100 pieces, add \$500/list setup charge.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
FOR X-RAY FILING						
XFHCS-3616.5	6	36	—	16½	10.5	52.00
XFHCS-3618	6	36	—	18	11.3	55.00
XFHCS-4216.5	6	42	—	16½	12.2	58.00
XFHCS-4218	6	42	—	18	13.1	61.00
XFHCS-4816.5	6	48	—	16½	13.9	62.00
XFHCS-4818	6	48	—	18	14.9	66.00

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
FOR LETTER AND LEGAL FILING						
FHCS-3010.5	8	30	—	10½	6.2	42.00
FHCS-3012	8	30	—	12	6.9	45.00
FHCS-3013.5	8	30	—	13½	7.3	47.00
FHCS-3015	8	30	—	15	8.2	49.00
FHCS-3610.5	8	36	—	10½	7.4	42.00
FHCS-3612	8	36	—	12	8.2	45.00
FHCS-3613.5	8	36	—	13½	9.0	47.00
FHCS-3615	8	36	—	15	9.7	49.00
FHCS-4210.5	8	42	—	10½	8.6	47.00
FHCS-4212	8	42	—	12	9.5	49.00
FHCS-4213.5	8	42	—	13½	10.4	52.00
FHCS-4215	8	42	—	15	11.3	55.00
FHCS-4810.5	8	48	—	10½	9.7	50.00
FHCS-4812	8	48	—	12	10.8	54.00
FHCS-4813.5	8	48	—	13½	11.8	56.00
FHCS-4815	8	48	—	15	12.8	60.00

FRONT BASES



Acts as a kickplate and provides a flush, finished appearance.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
FB-3002	50	30	—	2 5/16	.7	4.00
FB-3602	50	36	—	2 5/16	1.0	4.00
FB-4202	50	42	—	2 5/16	1.1	4.60
FB-4802	50	48	—	2 5/16	1.3	5.30

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
FB-3004	50	30	—	3 5/16	1.1	5.80
FB-3604	50	36	—	3 5/16	1.6	5.80
FB-4204	50	42	—	3 5/16	1.8	6.80
FB-4804	50	48	—	3 5/16	2.0	7.60

AISLE TIES



Use to tie units together across aisle for extra stabilization in tall units. Other lengths available upon request; consult factory for pricing.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
LTAT-36	10	36	—	2 3/4	3.0	24.00
LTAT-42	10	42	—	2 3/4	3.4	25.00
LTAT-48	10	48	—	2 3/4	3.9	26.00

BOOK SUPPORTS



Non-skid base included; packed as ordered.

CAT. NO.	W	D	H	WT.	PRICE
BSN6	4 5/8	1 3/4	6	.6	6.10
BSN9	4 5/8	1 3/4	9	1.1	7.40

MISCELLANEOUS L&T PARTS



CAT. NO.	DESCRIPTION	PRICE
LTCP-1	Ties posts back-to-back	1.60
LTPF-1	For protection of carpeting	.32
LTPS-1	Shim to help adjust for uneven floor	.77
LTWT-1	Attaches post to wall for added security	1.80
LTUC-1	Ties posts back-to-back	.75
LTSP-1	Prevents shelf support from slipping	.45
LTSI-36	Provides extra stability for seismic standards	7.40
LTUP-1	To touch up scrapes and scratches	8.50
LTSPL-1	Splice for extending existing posts	2.70
SCH-P	Holds 3x5" cards for shelf labeling	3.30


LEVELING FEET



CAT. NO.	DESCRIPTION	SIZE	PRICE
SMALL LEVELER (FOR USE ON CONCRETE/TILE FLOOR)			
LPLI-S	Fits "L" Uprights	1/4" -20 x 9/16"	1.20
TPLI-S	Fits "T" Uprights	1/4" -20 x 9/16"	1.20
LARGE LEVELER (FOR USE ON CARPET)			
LPLI-L	Fits "L" Uprights	1/4" -20 x 1 3/8"	2.20
TPLI-L	Fits "T" Uprights	1/4" -20 x 1 3/8"	1.20

L&T HIGH DENSITY DRAWER SYSTEM

36" Wide Drawers



Four Steps to configuring your L&T High Density Drawer System:

1. Select the drawer width and depth (pages 29-31) that match your shelving.
2. To determine height of the drawer needed, compare the height of the item being stored with the column marked "drawer height – usable inside" (pages 3-5) and select the height that will provide you a height at least as great as the item being stored.
3. To determine the number of columns in the drawer, compare width of item being stored with the column marked "usable divider width" (pages 6-8) and select the number of columns that will provide you a width at least as great as the item being stored.
4. Add spreaders and kickplates (page 8) for added rigidity and a clean appearance. Each unit should have a minimum of 4 pairs made up of a combination of double rivet shelf supports and/or spreaders.

Note:

- Depth of drawers MUST match shelving unit.
- Dual entry access is available for 30" and 36" only. (i.e., 30" depth unit allows two 15" drawers on same level)
- Never open more than one drawer at a time.
- We strongly recommend that all shelving, especially shelving containing modular drawers, be floor or wall anchored.
- 18" Lateral drawers can accommodate both letter and legal sized files side-to-side.
- 15" Lateral drawers can only accommodate letter sized files side-to-side. For legal sized files, front-to-back cross rods (page 34) must be used.
- See supplemental brochure for possible lateral drawer configurations.

Each drawer includes:

Drawer, Mounting Brackets, Suspensions, Full Length Label Holder, Label and Clear Label Cover

*Double entry units are supplied with one suspension and one mounting bracket.

15" DEEP SHELVING

CAT. NO.	DESCRIPTION	L&T SHELVING TYPE*	DRAWER HEIGHT			INSIDE DRAWER WIDTH	INSIDE DRAWER DEPTH	WT.	PRICE
			Body	Front	Usable Inside				
B23615-30S	3" Drawer	Single Entry	2"	2 13/16"	2 1/2"	31 3/32"	13"	24.0	275.00
B23615-30D	3" Drawer	Double Entry	2"	2 13/16"	2 1/2"	31 3/32"	13"	24.0	275.00
B23615-45S	4 1/2" Drawer	Single Entry	3"	4 5/16"	3 7/8"	31 3/32"	13"	27.0	327.00
B23615-45D	4 1/2" Drawer	Double Entry	3"	4 5/16"	3 7/8"	31 3/32"	13"	27.0	327.00
B23615-60S	6" Drawer	Single Entry	4 1/2"	5 13/16"	5 1/2"	31 3/32"	13"	31.0	355.00
B23615-60D	6" Drawer	Double Entry	4 1/2"	5 13/16"	5 1/2"	31 3/32"	13"	31.0	355.00
B23615-75S	7 1/2" Drawer	Single Entry	6"	7 5/16"	7"	31 3/32"	13"	34.0	391.00
B23615-75D	7 1/2" Drawer	Double Entry	6"	7 5/16"	7"	31 3/32"	13"	33.8	391.00
B23615-90S	9" Drawer	Single Entry	7"	8 13/16"	8 1/2"	31 3/32"	13"	35.0	398.00
B23615-90D	9" Drawer	Double Entry	7"	8 13/16"	8 1/2"	31 3/32"	13"	35.0	398.00
B23615-105S	10 1/2" Drawer	Single Entry	9"	10 5/16"	10"	31 3/32"	13"	36.0	402.00
B23615-105D	10 1/2" Drawer	Double Entry	9"	10 5/16"	10"	31 3/32"	13"	36.0	402.00
B23615-120S	12" Lateral Drawer	Single Entry	9 11/16"	11 11/16"	11 7/16"	31 3/32"	13"	36.0	349.00
B23615-120D	12" Lateral Drawer	Double Entry	9 11/16"	11 11/16"	11 7/16"	31 3/32"	13"	36.0	349.00

*Double entry units are supplied with one suspension and one mounting bracket.

18" DEEP SHELVING

CAT. NO.	DESCRIPTION	L&T SHELVING TYPE*	DRAWER HEIGHT			INSIDE DRAWER WIDTH	INSIDE DRAWER DEPTH	WT.	PRICE
			Body	Front	Usable Inside				
B23618-30S	3" Drawer	Single Entry	2"	2 13/16"	2 1/2"	31 3/32"	16"	25.0	307.00
B23618-30D	3" Drawer	Double Entry	2"	2 13/16"	2 1/2"	31 3/32"	16"	25.0	284.00
B23618-45S	4 1/2" Drawer	Single Entry	3"	4 5/16"	3 7/8"	31 3/32"	16"	29.0	339.00
B23618-45D	4 1/2" Drawer	Double Entry	3"	4 5/16"	3 7/8"	31 3/32"	16"	29.0	339.00
B23618-60S	6" Drawer	Single Entry	4 1/2"	5 13/16"	5 1/2"	31 3/32"	16"	33.0	388.00
B23618-60D	6" Drawer	Double Entry	4 1/2"	5 13/16"	5 1/2"	31 3/32"	16"	33.0	388.00
B23618-75S	7 1/2" Drawer	Single Entry	6"	7 5/16"	7"	31 3/32"	16"	36.0	405.00
B23618-75D	7 1/2" Drawer	Double Entry	6"	7 5/16"	7"	31 3/32"	16"	36.0	405.00
B23618-90S	9" Drawer	Single Entry	7"	8 13/16"	8 1/2"	31 3/32"	16"	37.0	413.00
B23618-90D	9" Drawer	Double Entry	7"	8 13/16"	8 1/2"	31 3/32"	16"	37.0	413.00
B23618-105S	10 1/2" Drawer	Single Entry	9"	10 5/16"	10"	31 3/32"	16"	38.0	407.00
B23618-105D	10 1/2" Drawer	Double Entry	9"	10 5/16"	10"	31 3/32"	16"	38.0	407.00
B23618-120S	12" Lateral Drawer	Single Entry	9 11/16"	11 11/16"	11 7/16"	31 3/32"	16"	32.0	367.00
B23618-120D	12" Lateral Drawer	Double Entry	9 11/16"	11 11/16"	11 7/16"	31 3/32"	16"	32.0	367.00

24" DEEP SHELVING


CAT. NO.	DESCRIPTION	L&T SHELVING TYPE*	DRAWER HEIGHT			INSIDE DRAWER WIDTH	INSIDE DRAWER DEPTH	WT.	PRICE
			Body	Front	Usable Inside				
B23624-30S	3" Drawer	Single Entry	2"	2 13/16"	2 1/2"	31 3/32"	22"	28.0	341.00
B23624-45S	4 1/2" Drawer	Single Entry	3"	4 5/16"	3 7/8"	31 3/32"	22"	32.0	376.00
B23624-60S	6" Drawer	Single Entry	4 1/2"	5 13/16"	5 1/2"	31 3/32"	22"	36.0	445.00
B23624-75S	7 1/2" Drawer	Single Entry	6"	7 5/16"	7"	31 3/32"	22"	39.0	472.00
B23624-90S	9" Drawer	Single Entry	7"	8 13/16"	8 1/2"	31 3/32"	22"	40.0	467.00
B23624-105S	10 1/2" Drawer	Single Entry	9"	10 5/16"	10"	31 3/32"	22"	41.0	486.00

L&T HIGH DENSITY DRAWER SYSTEM

42" Wide Drawers

Four Steps to configuring your L&T High Density Drawer System:

1. Select the drawer width and depth (pages 29-31) that match your shelving.
2. To determine height of the drawer needed, compare the height of the item being stored with the column marked "drawer height – usable inside" (pages 3-5) and select the height that will provide you a height at least as great as the item being stored.
3. To determine the number of columns in the drawer, compare width of item being stored with the column marked "usable divider width" (pages 6-8) and select the number of columns that will provide you a width at least as great as the item being stored.
4. Add spreaders and kickplates (page 8) for added rigidity and a clean appearance. Each unit should have a minimum of 4 pairs made up of a combination of double rivet shelf supports and/or spreaders.



Note:

- Depth of drawers MUST match shelving unit.
- Dual entry access is available for 30" and 36" only. (i.e., 30" depth unit allows two 15" drawers on same level)
- Never open more than one drawer at a time.
- We strongly recommend that all shelving, especially shelving containing modular drawers, be floor or wall anchored.
- 18" Lateral drawers can accommodate both letter and legal sized files side-to-side.
- 15" Lateral drawers can only accommodate letter sized files side-to-side. For legal sized files, front-to-back cross rods (page 34) must be used.
- See supplemental brochure for possible lateral drawer configurations.

Each drawer includes:

Drawer, Mounting Brackets, Suspensions, Full Length Label Holder, Label and Clear Label Cover

15" DEEP SHELVING

*Double entry units are supplied with one suspension and one mounting bracket.

CAT. NO.	DESCRIPTION	L&T SHELVING TYPE*	DRAWER HEIGHT			INSIDE DRAWER WIDTH	INSIDE DRAWER DEPTH	WT.	PRICE
			Body	Front	Usable Inside				
B24215-30S	3" Drawer	Single Entry	2"	2 13/16"	2 1/2"	37 3/32"	13"	25.0	292.00
B24215-30D	3" Drawer	Double Entry	2"	2 13/16"	2 1/2"	37 3/32"	13"	25.0	292.00
B24215-45S	4 1/2" Drawer	Single Entry	3"	4 5/16"	3 7/8"	37 3/32"	13"	28.0	338.00
B24215-45D	4 1/2" Drawer	Double Entry	3"	4 5/16"	3 7/8"	37 3/32"	13"	28.0	338.00
B24215-60S	6" Drawer	Single Entry	4 1/2"	5 13/16"	5 1/2"	37 3/32"	13"	32.0	383.00
B24215-60D	6" Drawer	Double Entry	4 1/2"	5 13/16"	5 1/2"	37 3/32"	13"	32.0	383.00
B24215-75S	7 1/2" Drawer	Single Entry	6"	7 5/16"	7"	37 3/32"	13"	35.0	389.00
B24215-75D	7 1/2" Drawer	Double Entry	6"	7 5/16"	7"	37 3/32"	13"	35.0	360.00
B24215-90S	9" Drawer	Single Entry	7"	8 13/16"	8 1/2"	37 3/32"	13"	36.0	400.00
B24215-90D	9" Drawer	Double Entry	7"	8 13/16"	8 1/2"	37 3/32"	13"	36.0	400.00
B24215-105S	10 1/2" Drawer	Single Entry	9"	10 5/16"	10"	37 3/32"	13"	38.0	415.00
B24215-105D	10 1/2" Drawer	Double Entry	9"	10 5/16"	10"	37 3/32"	13"	38.0	415.00
B24215-120S	12" Lateral Drawer	Single Entry	9 11/16"	11 11/16"	11 7/16"	37 3/32"	13"	32.0	351.00
B24215-120D	12" Lateral Drawer	Double Entry	9 11/16"	11 11/16"	11 7/16"	37 3/32"	13"	32.0	351.00

18" DEEP SHELVING

*Double entry units are supplied with one suspension and one mounting bracket.


CAT. NO.	DESCRIPTION	L&T SHELVING TYPE*	DRAWER HEIGHT			INSIDE DRAWER WIDTH	INSIDE DRAWER DEPTH	WT.	PRICE
			Body	Front	Usable Inside				
B24218-30S	3" Drawer	Single Entry	2"	2 13/16"	2 1/2"	37 3/32"	16"	26.0	307.00
B24218-30D	3" Drawer	Double Entry	2"	2 13/16"	2 1/2"	37 3/32"	16"	26.0	284.00
B24218-45S	4 1/2" Drawer	Single Entry	3"	4 5/16"	3 7/8"	37 3/32"	16"	30.0	349.00
B24218-45D	4 1/2" Drawer	Double Entry	3"	4 5/16"	3 7/8"	37 3/32"	16"	30.0	323.00
B24218-60S	6" Drawer	Single Entry	4 1/2"	5 13/16"	5 1/2"	37 3/32"	16"	34.0	384.00
B24218-60D	6" Drawer	Double Entry	4 1/2"	5 13/16"	5 1/2"	37 3/32"	16"	34.0	384.00
B24218-75S	7 1/2" Drawer	Single Entry	6"	7 5/16"	7"	37 3/32"	16"	37.0	396.00
B24218-75D	7 1/2" Drawer	Double Entry	6"	7 5/16"	7"	37 3/32"	16"	37.0	396.00
B24218-90S	9" Drawer	Single Entry	7"	8 13/16"	8 1/2"	37 3/32"	16"	38.0	403.00
B24218-90D	9" Drawer	Double Entry	7"	8 13/16"	8 1/2"	37 3/32"	16"	38.0	403.00
B24218-105S	10 1/2" Drawer	Single Entry	9"	10 5/16"	10"	37 3/32"	16"	39.0	418.00
B24218-105D	10 1/2" Drawer	Double Entry	9"	10 5/16"	10"	37 3/32"	16"	39.0	402.00
B24218-120S	12" Lateral Drawer	Single Entry	9 11/16"	11 11/16"	11 7/16"	37 3/32"	16"	34.0	364.00
B24218-120D	12" Lateral Drawer	Double Entry	9 11/16"	11 11/16"	11 7/16"	37 3/32"	16"	34.0	364.00

24" DEEP SHELVING

CAT. NO.	DESCRIPTION	L&T SHELVING TYPE*	DRAWER HEIGHT			INSIDE DRAWER WIDTH	INSIDE DRAWER DEPTH	WT.	PRICE
			Body	Front	Usable Inside				
B24224-30S	3" Drawer	Single Entry	2"	2 13/16"	2 1/2"	37 3/32"	22"	29.0	355.00
B24224-45S	4 1/2" Drawer	Single Entry	3"	4 5/16"	3 7/8"	37 3/32"	22"	33.0	399.00
B24224-60S	6" Drawer	Single Entry	4 1/2"	5 13/16"	5 1/2"	37 3/32"	22"	37.0	441.00
B24224-75S	7 1/2" Drawer	Single Entry	6"	7 5/16"	7"	37 3/32"	22"	40.0	478.00
B24224-90S	9" Drawer	Single Entry	7"	8 13/16"	8 1/2"	37 3/32"	22"	40.0	460.00
B24224-105S	10 1/2" Drawer	Single Entry	9"	10 5/16"	10"	37 3/32"	22"	43.0	486.00

L&T HIGH DENSITY DRAWER SYSTEM

48" Wide Drawers



Four Steps to configuring your L&T High Density Drawer System:

1. Select the drawer width and depth (pages 29-31) that match your shelving.
2. To determine height of the drawer needed, compare the height of the item being stored with the column marked "drawer height – usable inside" (pages 3-5) and select the height that will provide you a height at least as great as the item being stored.
3. To determine the number of columns in the drawer, compare width of item being stored with the column marked "usable divider width" (pages 6-8) and select the number of columns that will provide you a width at least as great as the item being stored.
4. Add spreaders and kickplates (page 8) for added rigidity and a clean appearance. Each unit should have a minimum of 4 pairs made up of a combination of double rivet shelf supports and/or spreaders.

Note:

- Depth of drawers MUST match shelving unit.
- Dual entry access is available for 30" and 36" only. (i.e., 30" depth unit allows two 15" drawers on same level)
- Never open more than one drawer at a time.
- We strongly recommend that all shelving, especially shelving containing modular drawers, be floor or wall anchored.
- 18" Lateral drawers can accommodate both letter and legal sized files side-to-side.
- 15" Lateral drawers can only accommodate letter sized files side-to-side. For legal sized files, front-to-back cross rods (page 34) must be used.
- See supplemental brochure for possible lateral drawer configurations.

Each drawer includes:

Drawer, Mounting Brackets, Suspensions, Full Length Label Holder, Label and Clear Label Cover

*Double entry units are supplied with one suspension and one mounting bracket.

15" DEEP SHELVING

CAT. NO.	DESCRIPTION	L&T SHELVING TYPE*	DRAWER HEIGHT			INSIDE DRAWER WIDTH	INSIDE DRAWER DEPTH	WT.	PRICE
			Body	Front	Usable Inside				
B24815-30S	3" Drawer	Single Entry	2"	2 13/16"	2 1/2"	43 3/32"	13"	25.0	298.00
B24815-30D	3" Drawer	Double Entry	2"	2 13/16"	2 1/2"	43 3/32"	13"	25.0	278.00
B24815-45S	4 1/2" Drawer	Single Entry	3"	4 5/16"	3 7/8"	43 3/32"	13"	29.0	347.00
B24815-45D	4 1/2" Drawer	Double Entry	3"	4 5/16"	3 7/8"	43 3/32"	13"	29.0	347.00
B24815-60S	6" Drawer	Single Entry	4 1/2"	5 13/16"	5 1/2"	43 3/32"	13"	33.0	401.00
B24815-60D	6" Drawer	Double Entry	4 1/2"	5 13/16"	5 1/2"	43 3/32"	13"	33.0	401.00
B24815-75S	7 1/2" Drawer	Single Entry	6"	7 5/16"	7"	43 3/32"	13"	36.0	406.00
B24815-75D	7 1/2" Drawer	Double Entry	6"	7 5/16"	7"	43 3/32"	13"	36.0	406.00
B24815-90S	9" Drawer	Single Entry	7"	8 13/16"	8 1/2"	43 3/32"	13"	38.0	417.00
B24815-90D	9" Drawer	Double Entry	7"	8 13/16"	8 1/2"	43 3/32"	13"	38.0	417.00
B24815-105S	10 1/2" Drawer	Single Entry	9"	10 5/16"	10"	43 3/32"	13"	34.0	427.00
B24815-105D	10 1/2" Drawer	Double Entry	9"	10 5/16"	10"	43 3/32"	13"	34.0	427.00
B24815-120S	12" Lateral Drawer	Single Entry	9 11/16"	11 11/16"	11 7/16"	43 3/32"	13"	42.0	369.00
B24815-120D	12" Lateral Drawer	Double Entry	9 11/16"	11 11/16"	11 7/16"	43 3/32"	13"	42.0	369.00

*Double entry units are supplied with one suspension and one mounting bracket.

18" DEEP SHELVING

CAT. NO.	DESCRIPTION	L&T SHELVING TYPE*	DRAWER HEIGHT			INSIDE DRAWER WIDTH	INSIDE DRAWER DEPTH	WT.	PRICE
			Body	Front	Usable Inside				
B24818-30S	3" Drawer	Single Entry	2"	2 13/16"	2 1/2"	43 3/32"	16"	27.0	311.00
B24818-30D	3" Drawer	Double Entry	2"	2 13/16"	2 1/2"	43 3/32"	16"	27.0	291.00
B24818-45S	4 1/2" Drawer	Single Entry	3"	4 5/16"	3 7/8"	43 3/32"	16"	31.0	361.00
B24818-45D	4 1/2" Drawer	Double Entry	3"	4 5/16"	3 7/8"	43 3/32"	16"	31.0	361.00
B24818-60S	6" Drawer	Single Entry	4 1/2"	5 13/16"	5 1/2"	43 3/32"	16"	35.0	401.00
B24818-60D	6" Drawer	Double Entry	4 1/2"	5 13/16"	5 1/2"	43 3/32"	16"	35.0	401.00
B24818-75S	7 1/2" Drawer	Single Entry	6"	7 5/16"	7"	43 3/32"	16"	38.0	429.00
B24818-75D	7 1/2" Drawer	Double Entry	6"	7 5/16"	7"	43 3/32"	16"	38.0	429.00
B24818-90S	9" Drawer	Single Entry	7"	8 13/16"	8 1/2"	43 3/32"	16"	39.0	434.00
B24818-90D	9" Drawer	Double Entry	7"	8 13/16"	8 1/2"	43 3/32"	16"	39.0	434.00
B24818-105S	10 1/2" Drawer	Single Entry	9"	10 5/16"	10"	43 3/32"	16"	41.0	437.00
B24818-105D	10 1/2" Drawer	Double Entry	9"	10 5/16"	10"	43 3/32"	16"	41.0	437.00
B24818-120S	12" Lateral Drawer	Single Entry	9 11/16"	11 11/16"	11 7/16"	43 3/32"	16"	35.0	395.00
B24818-120D	12" Lateral Drawer	Double Entry	9 11/16"	11 11/16"	11 7/16"	43 3/32"	16"	35.0	395.00

24" DEEP SHELVING

CAT. NO.	DESCRIPTION	L&T SHELVING TYPE*	DRAWER HEIGHT			INSIDE DRAWER WIDTH	INSIDE DRAWER DEPTH	WT.	PRICE
			Body	Front	Usable Inside				
B24824-30S	3" Drawer	Single Entry	2"	2 13/16"	2 1/2"	43 3/32"	22"	29.0	364.00
B24824-45S	4 1/2" Drawer	Single Entry	3"	4 5/16"	3 7/8"	43 3/32"	22"	34.0	409.00
B24824-60S	6" Drawer	Single Entry	4 1/2"	5 13/16"	5 1/2"	43 3/32"	22"	38.0	463.00
B24824-75S	7 1/2" Drawer	Single Entry	6"	7 5/16"	7"	43 3/32"	22"	42.0	504.00
B24824-90S	9" Drawer	Single Entry	7"	8 13/16"	8 1/2"	43 3/32"	22"	43.0	509.00
B24824-105S	10 1/2" Drawer	Single Entry	9"	10 5/16"	10"	43 3/32"	22"	45.0	522.00

L&T HIGH DENSITY DRAWER SYSTEM


Dividers for Drawers - 8 & 6 Columns

Note:

- Dividers are flanged to accept standard label stock (not supplied).
- Dividers can be used individually as column compressors (i.e., one divider per column).
- To determine the size of divider needed, compare the width of item being stored to the column marked "usable divider width" and choose the number of columns that will give you a width at least as great as the item being stored.

FOR 8 COLUMN CONFIGURATIONS

CAT. NO.	DRAWER HEIGHT	QTY.	USABLE DIVIDER WIDTH	ACTUAL DIVIDER WIDTH	DIVIDER HEIGHT	WT.	PRICE
FOR 36" WIDE DRAWERS							
4036-830	3"	EACH	3 11/32"	3 23/32"	2 7/32"	0.1	2.80
4036-845	4 1/2"	EACH	3 11/32"	3 23/32"	2 27/32"	0.1	2.90
4036-860	6"	EACH	3 11/32"	3 23/32"	4 11/32"	0.2	3.00
4036-875	7 1/2"	EACH	3 11/32"	3 23/32"	5 27/32"	0.2	3.10
4036-890	9"	EACH	3 11/32"	3 23/32"	6 27/32"	0.2	3.20
4036-8105	10 1/2"	EACH	3 11/32"	3 23/32"	8 27/32"	0.3	3.40
FOR 42" WIDE DRAWERS							
4042-830	3"	EACH	4 1/16"	4 15/32"	2 7/32"	0.1	2.80
4042-845	4 1/2"	EACH	4 1/16"	4 15/32"	2 27/32"	0.1	2.90
4042-860	6"	EACH	4 1/16"	4 15/32"	4 11/32"	0.2	3.10
4042-875	7 1/2"	EACH	4 1/16"	4 15/32"	5 27/32"	0.3	3.30
4042-890	9"	EACH	4 1/16"	4 15/32"	6 27/32"	0.3	3.40
4042-8105	10 1/2"	EACH	4 1/16"	4 15/32"	8 27/32"	0.4	3.60
FOR 48" WIDE DRAWERS							
4048-830	3"	EACH	4 27/32"	5 7/32"	2 7/32"	0.1	3.20
4048-845	4 1/2"	EACH	4 27/32"	5 7/32"	2 27/32"	0.2	3.30
4048-860	6"	EACH	4 27/32"	5 7/32"	4 11/32"	0.2	3.50
4048-875	7 1/2"	EACH	4 27/32"	5 7/32"	5 27/32"	0.3	3.70
4048-890	9"	EACH	4 27/32"	5 7/32"	6 27/32"	0.3	3.80
4048-8105	10 1/2"	EACH	4 27/32"	5 7/32"	8 27/32"	0.4	4.10




Note:

- Dividers are flanged to accept standard label stock (not supplied).
- Dividers can be used individually as column compressors (i.e., one divider per column).
- To determine the size of divider needed, compare the width of item being stored to the column marked "usable divider width" and choose the number of columns that will give you a width at least as great as the item being stored.

FOR 6 COLUMN CONFIGURATIONS

CAT. NO.	DRAWER HEIGHT	QTY.	USABLE DIVIDER WIDTH	ACTUAL DIVIDER WIDTH	DIVIDER HEIGHT	WT.	PRICE
FOR 36" WIDE DRAWERS							
4036-630	3"	EACH	4 21/32"	5 1/32"	2 7/32"	0.1	3.00
4036-645	4 1/2"	EACH	4 21/32"	5 1/32"	2 27/32"	0.1	3.10
4036-660	6"	EACH	4 21/32"	5 1/32"	4 11/32"	0.2	3.30
4036-675	7 1/2"	EACH	4 21/32"	5 1/32"	5 27/32"	0.3	3.50
4036-690	9"	EACH	4 21/32"	5 1/32"	6 27/32"	0.3	3.60
4036-6105	10 1/2"	EACH	4 21/32"	5 1/32"	8 27/32"	0.4	3.80
FOR 42" WIDE DRAWERS							
4042-630	3"	EACH	5 5/8"	6 1/6"	2 7/32"	0.1	3.10
4042-645	4 1/2"	EACH	5 5/8"	6 1/6"	2 27/32"	0.2	3.20
4042-660	6"	EACH	5 5/8"	6 1/6"	4 11/32"	0.3	3.40
4042-675	7 1/2"	EACH	5 5/8"	6 1/6"	5 27/32"	0.3	3.70
4042-690	9"	EACH	5 5/8"	6 1/6"	6 27/32"	0.4	3.80
4042-6105	10 1/2"	EACH	5 5/8"	6 1/6"	8 27/32"	0.5	4.10
FOR 48" WIDE DRAWERS							
4048-630	3"	EACH	6 11/16"	7 1/32"	2 7/32"	0.1	3.60
4048-645	4 1/2"	EACH	6 11/16"	7 1/32"	2 27/32"	0.2	3.80
4048-660	6"	EACH	6 11/16"	7 1/32"	4 11/32"	0.3	4.00
4048-675	7 1/2"	EACH	6 11/16"	7 1/32"	5 27/32"	0.4	4.30
4048-690	9"	EACH	6 11/16"	7 1/32"	6 27/32"	0.5	4.40
4048-6105	10 1/2"	EACH	6 11/16"	7 1/32"	8 27/32"	0.6	4.80




L&T HIGH DENSITY DRAWER SYSTEM

Dividers for Drawers - 5 & 4 Columns

Note:

- Dividers are flanged to accept standard label stock (not supplied).
- Dividers can be used individually as column compressors (i.e., one divider per column).
- To determine the size of divider needed, compare the width of item being stored to the column marked "usable divider width" and choose the number of columns that will give you a width at least as great as the item being stored.

FOR 5 COLUMN CONFIGURATIONS




CAT. NO.	DRAWER HEIGHT	QTY.	USABLE DIVIDER WIDTH	ACTUAL DIVIDER WIDTH	DIVIDER HEIGHT	WT.	PRICE
FOR 36" WIDE DRAWERS							
4036-530	3"	EACH	5 11/16"	6 1/16"	2 7/32"	0.1	3.20
4036-545	4 1/2"	EACH	5 11/16"	6 1/16"	2 27/32"	0.2	3.40
4036-560	6"	EACH	5 11/16"	6 1/16"	4 11/32"	0.3	3.60
4036-575	7 1/2"	EACH	5 11/16"	6 1/16"	5 27/32"	0.3	3.80
4036-590	9"	EACH	5 11/16"	6 1/16"	6 27/32"	0.4	4.00
4036-5105	10 1/2"	EACH	5 11/16"	6 1/16"	8 27/32"	0.5	4.20
FOR 42" WIDE DRAWERS							
4042-530	3"	EACH	6 15/16"	7 9/32"	2 7/32"	0.2	3.60
4042-545	4 1/2"	EACH	6 15/16"	7 9/32"	2 27/32"	0.2	3.80
4042-560	6"	EACH	6 15/16"	7 9/32"	4 11/32"	0.3	4.00
4042-575	7 1/2"	EACH	6 15/16"	7 9/32"	5 27/32"	0.4	4.30
4042-590	9"	EACH	6 15/16"	7 9/32"	6 27/32"	0.5	4.50
4042-5105	10 1/2"	EACH	6 15/16"	7 9/32"	8 27/32"	0.6	4.80
FOR 48" WIDE DRAWERS							
4048-530	3"	EACH	8 1/8"	8 1/2"	2 7/32"	0.2	3.70
4048-545	4 1/2"	EACH	8 1/8"	8 1/2"	2 27/32"	0.2	3.90
4048-560	6"	EACH	8 1/8"	8 1/2"	4 11/32"	0.4	4.10
4048-575	7 1/2"	EACH	8 1/8"	8 1/2"	5 27/32"	0.5	4.50
4048-590	9"	EACH	8 1/8"	8 1/2"	6 27/32"	0.5	4.70
4048-5105	10 1/2"	EACH	8 1/8"	8 1/2"	8 27/32"	0.7	5.10

Note:

- Dividers are flanged to accept standard label stock (not supplied).
- Dividers can be used individually as column compressors (i.e., one divider per column).
- To determine the size of divider needed, compare the width of item being stored to the column marked "usable divider width" and choose the number of columns that will give you a width at least as great as the item being stored.

FOR 4 COLUMN CONFIGURATIONS




CAT. NO.	DRAWER HEIGHT	QTY.	USABLE DIVIDER WIDTH	ACTUAL DIVIDER WIDTH	DIVIDER HEIGHT	WT.	PRICE
FOR 36" WIDE DRAWERS							
4036-430	3"	EACH	7 9/32"	7 11/16"	2 7/32"	0.2	3.60
4036-445	4 1/2"	EACH	7 9/32"	7 11/16"	2 27/32"	0.2	3.80
4036-460	6"	EACH	7 9/32"	7 11/16"	4 11/32"	0.3	4.00
4036-475	7 1/2"	EACH	7 9/32"	7 11/16"	5 27/32"	0.4	4.40
4036-490	9"	EACH	7 9/32"	7 11/16"	6 27/32"	0.5	4.60
4036-4105	10 1/2"	EACH	7 9/32"	7 11/16"	8 27/32"	0.6	4.90
FOR 42" WIDE DRAWERS							
4042-430	3"	EACH	8 25/32"	9 3/16"	2 7/32"	0.2	3.70
4042-445	4 1/2"	EACH	8 25/32"	9 3/16"	2 27/32"	0.3	3.90
4042-460	6"	EACH	8 25/32"	9 3/16"	4 11/32"	0.4	4.20
4042-475	7 1/2"	EACH	8 25/32"	9 3/16"	5 27/32"	0.5	4.60
4042-490	9"	EACH	8 25/32"	9 3/16"	6 27/32"	0.6	4.80
4042-4105	10 1/2"	EACH	8 25/32"	9 3/16"	8 27/32"	0.7	5.20
FOR 48" WIDE DRAWERS							
4048-430	3"	EACH	10 5/16"	10 11/16"	2 7/32"	0.2	4.10
4048-445	4 1/2"	EACH	10 5/16"	10 11/16"	2 27/32"	0.3	4.30
4048-460	6"	EACH	10 5/16"	10 11/16"	4 11/32"	0.4	4.70
4048-475	7 1/2"	EACH	10 5/16"	10 11/16"	5 27/32"	0.6	5.10
4048-490	9"	EACH	10 5/16"	10 11/16"	6 27/32"	0.7	5.40
4048-4105	10 1/2"	EACH	10 5/16"	10 11/16"	8 27/32"	0.9	5.90

L&T HIGH DENSITY DRAWER SYSTEM

Dividers for Drawers, Accessories

FOR 3 COLUMN CONFIGURATIONS



Note:

- Dividers are flanged to accept standard label stock (not supplied).
- Dividers can be used individually as column compressors (i.e., one divider per column).
- To determine the size of divider needed, compare the width of item being stored to the column marked "usable divider width" and choose the number of columns that will give you a width at least as great as the item being stored.

CAT. NO.	DRAWER HEIGHT	QTY.	USABLE DIVIDER WIDTH	ACTUAL DIVIDER WIDTH	DIVIDER HEIGHT	WT.	PRICE
FOR 36" WIDE DRAWERS							
4036-330	3"	EACH	9 15/16"	10 5/16"	2 7/32"	0.2	3.80
4036-345	4 1/2"	EACH	9 15/16"	10 5/16"	2 27/32"	0.3	4.00
4036-360	6"	EACH	9 15/16"	10 5/16"	4 11/32"	0.4	4.40
4036-375	7 1/2"	EACH	9 15/16"	10 5/16"	5 27/32"	0.6	4.80
4036-390	9"	EACH	9 15/16"	10 5/16"	6 27/32"	0.7	5.00
4036-3105	10 1/2"	EACH	9 15/16"	10 5/16"	8 27/32"	0.8	5.50
FOR 42" WIDE DRAWERS							
4042-330	3"	EACH	11 15/16"	12 11/32"	2 7/32"	0.3	5.10
4042-345	4 1/2"	EACH	11 15/16"	12 11/32"	2 27/32"	0.4	5.40
4042-360	6"	EACH	11 15/16"	12 11/32"	4 11/32"	0.5	5.80
4042-375	7 1/2"	EACH	11 15/16"	12 11/32"	5 27/32"	0.7	6.30
4042-390	9"	EACH	11 15/16"	12 11/32"	6 27/32"	0.8	6.60
4042-3105	10 1/2"	EACH	11 15/16"	12 11/32"	8 27/32"	1.0	7.60
FOR 48" WIDE DRAWERS							
4048-330	3"	EACH	13 15/16"	14 5/16"	2 7/32"	0.3	4.90
4048-345	4 1/2"	EACH	13 15/16"	14 5/16"	2 27/32"	0.4	5.20
4048-360	6"	EACH	13 15/16"	14 5/16"	4 11/32"	0.6	5.70
4048-375	7 1/2"	EACH	13 15/16"	14 5/16"	5 27/32"	0.8	6.30
4048-390	9"	EACH	13 15/16"	14 5/16"	6 27/32"	0.9	6.60
4048-3105	10 1/2"	EACH	13 15/16"	14 5/16"	8 27/32"	1.2	7.30

SPREADERS




Note:

- Adds extra support to drawer to keep units square.
- Both kickplate and intermediate spreader are required after combination of drawers exceeds 36" in height. The # of spreaders required depends on the # of drawers used.
- When placing a shelf on top of an intermediate spreader, shelf dividers cannot be used. For dividers you may use TS shelf support above all drawers except the 3" drawer.
- Units must have a minimum of 4 pair of a combination of double rivet shelf supports and/or spreaders.
- You may use SHS at bottom of unit to attach to mobile but you will have a 1 1/8" gap to the bottom of the drawer. Also, using a pair of SHS's at the bottom does not count toward the requirement of 4 pair of left to right supports.

CAT. NO.	QTY.	DESCRIPTION	W	D	H	WT.	PRICE
FOR 36" WIDE DRAWERS							
TLT3680A	PAIR	KICKPLATE SPREADER	36	3/4"	4"	9.2	43.00
TLT3680	PAIR	UNIVERSAL SPREADER	36	3/4"	3"	8.4	29.00
FOR 42" WIDE DRAWERS							
TLT4280A	PAIR	KICKPLATE SPREADER	42	3/4"	4"	10.7	46.00
TLT4280	PAIR	UNIVERSAL SPREADER	42	3/4"	3"	9.2	36.00
FOR 48" WIDE DRAWERS							
TLT4880A	PAIR	KICKPLATE SPREADER	48	3/4"	4"	8.4	50.00
TLT4880	PAIR	UNIVERSAL SPREADER	48	3/4"	3"	11.2	38.00

PARTITIONS



Note:

- Partitions run front to back.
- Partitions are used to divide drawer into columns.

CAT. NO.	QTY.	DESCRIPTION	D	H	WT.	PRICE
FOR 15" DEEP DRAWERS						
4040-1530	EACH	FOR 3" HIGH DRAWER	13 3/8"	1 7/8"	1.1	21.00
4040-1545	EACH	FOR 4 1/2" HIGH DRAWER	13 3/8"	2 7/8"	1.5	15.60
4040-1560	EACH	FOR 6" HIGH DRAWER	13 3/8"	4 3/8"	2.5	19.20
4040-1575	EACH	FOR 7 1/2" HIGH DRAWER	13 3/8"	5 7/8"	2.9	20.00
4040-1590	EACH	FOR 9" HIGH DRAWER	13 3/8"	6 7/8"	3.5	19.50
4040-15105	EACH	FOR 10 1/2" HIGH DRAWER	13 3/8"	8 7/8"	4.1	20.00
FOR 18" DEEP DRAWERS						
4040-1830	EACH	FOR 3" HIGH DRAWER	13 3/8"	1 7/8"	1.3	18.30
4040-1845	EACH	FOR 4 1/2" HIGH DRAWER	13 3/8"	2 7/8"	1.8	25.00
4040-1860	EACH	FOR 6" HIGH DRAWER	13 3/8"	4 3/8"	3.0	25.00
4040-1875	EACH	FOR 7 1/2" HIGH DRAWER	13 3/8"	5 7/8"	3.5	27.00
4040-1890	EACH	FOR 9" HIGH DRAWER	13 3/8"	6 7/8"	4.2	28.00
4040-18105	EACH	FOR 10 1/2" HIGH DRAWER	13 3/8"	8 7/8"	4.9	31.00
FOR 24" DEEP DRAWERS						
4040-2430	EACH	FOR 3" HIGH DRAWER	13 3/8"	1 7/8"	2.2	23.00
4040-2445	EACH	FOR 4 1/2" HIGH DRAWER	13 3/8"	2 7/8"	2.7	26.00
4040-2460	EACH	FOR 6" HIGH DRAWER	13 3/8"	4 3/8"	4.1	30.00
4040-2475	EACH	FOR 7 1/2" HIGH DRAWER	13 3/8"	5 7/8"	4.6	32.00
4040-2490	EACH	FOR 9" HIGH DRAWER	13 3/8"	6 7/8"	5.5	33.00
4040-24105	EACH	FOR 10 1/2" HIGH DRAWER	13 3/8"	8 7/8"	6.4	37.00

ACCESSORIES


- *Note: Locks not available for 3" and 4 1/2" drawers. Locks are factory installed only and can not be added in the field.

CAT. NO.	QTY.	WT.	PRICE	CAT. NO.	QTY.	WT.	PRICE
FRONT-TO-BACK CROSS RODS (FOR 15" DRAWERS)				SIDE-TO-SIDE HANGING RODS (FOR 36" WIDE DRAWERS)			
12CR	PAIR	1.0	12.70	34HF	PAIR	2.5	8.00
FRONT-TO-BACK CROSS RODS (FOR 18" DRAWERS)				LOCKS* (Add "L" Suffix to Model Number)			
15CR	PAIR	1.0	8.50	L	EACH	0.5	58.00

L&T COLOR SELECTIONS

BASE STANDARD COLORS

Standard lead times apply.



ADDITIONAL COLORS

Extended lead times apply.



TEXTURED COLORS

Extended lead times apply.



CUSTOM PAINT FINISHES — Special custom color matches can be furnished at an upcharge and extended lead time.

Finishes and textures shown are only representative. Please contact your dealer if greater accuracy is required.

For custom paint pricing, contact customer support at: (800) 822-4000.



Mailing Address: P.O. Box 1888, Dickson, TN 37056-1888

Shipping Address: P.O. Box 1888, Dickson, TN 37056-1888

Customer Service: (866) 446-8686 • **Fax:** (866) 445-7260 | **Ordering Fax:** (866) 864-4796 | www.tennsco.com • info@tennsco.com

